



US00D648392S

(12) **United States Design Patent**
Thorpe

(10) **Patent No.:** **US D648,392 S**

(45) **Date of Patent:** **** Nov. 8, 2011**

(54) **MULTIPLICATION TEACHING AID SET**

(76) Inventor: **Martha Thorpe**, Richmond Heights, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/389,532**

(22) Filed: **Apr. 13, 2011**

(51) **LOC (9) Cl.** **19-07**

(52) **U.S. Cl.** **D19/64**

(58) **Field of Classification Search** D19/20,
D19/25-33, 59-64; 434/168, 171-172, 188,
434/189, 191, 196, 200, 205, 207, 209, 348,
434/271, 202; D2/391; 33/494

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D173,363 S	11/1954	Louis	
2,901,839 A *	9/1959	Huff	434/207
3,061,947 A *	11/1962	Faudree	434/205
4,445,865 A *	5/1984	Sellon	434/207

(Continued)

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(57) **CLAIM**

The ornamental design for multiplication teaching aid set, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view the first portion of a multiplication teaching aid set having multiplication members for the factor 2 arranged in an overlying storage or closed position showing my new design;

FIG. 2 is a front view of the first portion of a multiplication teaching aid set of FIG. 1, having the multiplication members arranged in a fanned out open position;

FIG. 3 is a perspective view the second portion of a multiplication teaching aid set having multiplication members for the factor 3 arranged in an overlying storage or closed position showing my new design;

FIG. 4 is a front view of the second portion of a multiplication teaching aid set of FIG. 3, having the multiplication members arranged in a fanned out open position;

FIG. 5 is a perspective view the third portion of a multiplication teaching aid set having multiplication members for the factor 4 arranged in an overlying storage or closed position showing my new design;

FIG. 6 is a front view of the third portion of a multiplication teaching aid set of FIG. 5, having the multiplication members arranged in a fanned out open position;

FIG. 7 is a perspective view the fourth portion of a multiplication teaching aid set having multiplication members for the factor 5 arranged in an overlying storage or closed position showing my new design;

FIG. 8 is a front view of the fourth portion of a multiplication teaching aid set of FIG. 7, having the multiplication members arranged in a fanned out open position;

FIG. 9 is a perspective view the fifth portion of a multiplication teaching aid set having multiplication members for the factor 6 arranged in an overlying storage or closed position showing my new design;

FIG. 10 is a front view of the fifth portion of a multiplication teaching aid set of FIG. 9, having the multiplication members arranged in a fanned out open position;

FIG. 11 is a perspective view the sixth portion of a multiplication teaching aid set having multiplication members for the factor 7 arranged in an overlying storage or closed position showing my new design;

FIG. 12 is a front view of the sixth portion of a multiplication teaching aid set of FIG. 11, having the multiplication members arranged in a fanned out open position;

FIGS. 13 FIG. 1 is a perspective view the seventh portion of a multiplication teaching aid set having multiplication members for the factor 8 arranged in an overlying storage or closed position showing my new design;

FIG. 14 is a front view of the seventh portion of a multiplication teaching aid set of FIG. 13, having the multiplication members arranged in a fanned out open position;

FIG. 15 is a perspective view the eighth portion of a multiplication teaching aid set having multiplication members for the factor 9 arranged in an overlying storage or closed position showing my new design; and,

FIG. 16 is a front view of the eighth portion of a multiplication teaching aid set of FIG. 15, having the multiplication members arranged in a fanned out open position.

The dotted-line showing in the drawings illustrates environmental matter and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



US D648,392 S

Page 2

U.S. PATENT DOCUMENTS

4,674,433	A *	6/1987	Inada	434/202	D480,109	S *	9/2003	Jeffirs et al.	D19/60
5,076,793	A *	12/1991	Aghevli et al.	434/196	D481,071	S *	10/2003	Jeffirs et al.	D19/60
D338,243	S *	8/1993	Underwood	D21/391	6,652,286	B1 *	11/2003	Larsen	434/348
D357,280	S *	4/1995	Bechler et al.	D19/64	D490,467	S *	5/2004	Jeffirs et al.	D19/60
D395,675	S *	6/1998	Perez	D19/59	6,813,841	B1 *	11/2004	Ramsey	33/494
5,927,717	A *	7/1999	Berkovi et al.	273/271	7,014,468	B1	3/2006	Thorpe	
5,951,299	A *	9/1999	Kim	434/188	7,052,279	B1 *	5/2006	Losq	434/191
6,089,871	A *	7/2000	Jaffe	434/209	D541,345	S *	4/2007	Chang et al.	D19/62
6,109,924	A *	8/2000	Sanford et al.	434/191	7,537,454	B1 *	5/2009	La Deaux	434/188
6,579,101	B2 *	6/2003	Phan	434/188	D621,878	S *	8/2010	Weiss et al.	D19/59
D480,108	S *	9/2003	Jeffirs et al.	D19/60	D639,339	S *	6/2011	Marquez Canada	D19/59

* cited by examiner




FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 6




FIG. 5




FIG. 8




FIG. 7




FIG. 10

FIG. 9




FIG. 12




FIG. 11




FIG. 14

FIG. 13




FIG. 16




FIG. 15