



US00D648410S

(12) **United States Design Patent**
Sims et al.

(10) **Patent No.:** **US D648,410 S**

(45) **Date of Patent:** **** Nov. 8, 2011**

(54) **VIBRATION DAMPENER**

(75) Inventors: **Steven C. Sims**, Shelton, WA (US);
Drew Stephens, Shelton, WA (US);
Jonathan F. Seil, Shelton, WA (US)

(73) Assignee: **Sims Vibration Laboratory, Inc.**,
Shelton, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/372,638**

(22) Filed: **Dec. 16, 2010**

(51) **LOC (9) Cl.** **21-02**

(52) **U.S. Cl.** **D21/753**

(58) **Field of Classification Search** D21/729,
D21/753; 473/522, 437

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,765,620	A *	8/1988	Janes	473/521
4,776,590	A *	10/1988	Krent et al.	473/522
4,909,509	A *	3/1990	Boschian	473/522
4,911,445	A *	3/1990	Ferrari et al.	473/522
D331,436	S *	12/1992	Yanahara	D21/729

5,211,397	A *	5/1993	Davis et al.	473/522
D343,663	S *	1/1994	Hillock	D21/753
D368,749	S *	4/1996	Severa et al.	D21/753
D420,412	S *	2/2000	Buck et al.	D21/755
D539,372	S *	3/2007	Do	D21/753
D562,922	S *	2/2008	Bozof	D21/753

* cited by examiner

Primary Examiner — Mitchell Siegel

(74) *Attorney, Agent, or Firm* — Richard D. Multer

(57) **CLAIM**

The ornamental design for a vibration dampener, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vibration dampener embodying the principles of the present invention; FIG. 2 is a front end view of the vibration dampener; FIG. 3 is a rear end view of the vibration dampener; FIG. 4 is a right-hand side view of the vibration dampener; FIG. 5 is a left-hand side view of the vibration dampener; FIG. 6 is a top view of the vibration dampener; and, FIG. 7 is a bottom view of the vibration dampener.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

