



US00D648466S

(12) **United States Design Patent**
Hickman

(10) **Patent No.:** **US D648,466 S**

(45) **Date of Patent:** **** Nov. 8, 2011**

(54) **GLOW LIGHT**

(75) **Inventor:** **Ben Hickman**, Kirksville, MO (US)

(73) **Assignee:** **HP Industries, Inc.**, Kirksville, MO (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/386,333**

(22) **Filed:** **Feb. 28, 2011**

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.** **D26/42**

(58) **Field of Classification Search** D26/37,
D26/38, 39, 41, 42, 49, 24, 40; 362/157,
362/158, 183, 184, 171-178, 194-196, 202-208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,340,530	A	2/1944	Hefner	
4,249,234	A	2/1981	Park et al.	
D262,466	S *	12/1981	Lieberman et al.	D21/311
D267,045	S *	11/1982	Lieberman et al.	D21/311
5,079,679	A	1/1992	Chin-Fa	
5,412,548	A	5/1995	Yee	
5,622,423	A	4/1997	Lee	
D389,364	S *	1/1998	Vallarella et al.	D7/300.2
D389,420	S *	1/1998	Campman	D10/114.9
5,735,594	A	4/1998	Own	
5,806,961	A	9/1998	Dalton et al.	
D403,450	S *	12/1998	Ting	D26/37
5,860,729	A	1/1999	Bamber	
5,879,076	A	3/1999	Cross	
D413,401	S *	8/1999	McDonald et al.	D26/49
6,179,431	B1	1/2001	Chien	
6,213,623	B1	4/2001	Campman	
6,231,207	B1	5/2001	Kennedy et al.	
6,371,625	B2	4/2002	Campman	
6,623,139	B1	9/2003	Gutmann	

6,623,140	B2	9/2003	Watterson et al.	
6,722,771	B1	4/2004	Stephens	
D504,968	S *	5/2005	Bayat et al.	D26/42
D523,982	S *	6/2006	Doong	D26/49
D526,077	S *	8/2006	Leen	D26/42
7,140,746	B2	11/2006	Chen	
7,163,313	B2	1/2007	Rosenberg	
7,198,382	B2	4/2007	Donovan	
7,267,453	B2	9/2007	Chang et al.	
7,347,581	B2	3/2008	Krieger	
D574,741	S *	8/2008	Gadsden	D10/114.9

(Continued)

FOREIGN PATENT DOCUMENTS

CN 2842604 Y 11/2006

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Armstrong Teasdale LLP

(57) **CLAIM**

The ornamental design for a glow light, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a glow light in accordance with an embodiment.

FIG. 2 is a rear perspective view of the glow light shown FIG. 1.

FIG. 3 is a front view of the glow light shown in FIG. 1, the rear view being a mirror image thereof.

FIG. 4 is a right side view of the glow light shown in FIG. 1.


FIG. 5 is a left side view of the glow light shown in FIG. 1.

FIG. 6 is a top view of the glow light shown in FIG. 1; and,

FIG. 7 is a bottom view of the glow light shown in FIG. 1.

The broken lines are included for the purpose of illustrating an eye that forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D648,466 S

Page 2

U.S. PATENT DOCUMENTS

D593,695	S *	6/2009	Levine	D26/42
7,566,157	B2	7/2009	Lo		
D598,150	S *	8/2009	Bertken	D26/38
D612,968	S *	3/2010	Ma	D26/49
D625,860	S *	10/2010	Bertken	D26/37
D625,861	S *	10/2010	Bertken	D26/37
D626,671	S *	11/2010	Bertken	D26/37
7,845,820	B2	12/2010	Bertken		
2002/0196622	A1	12/2002	Klees		
2006/0082988	A1	4/2006	Riblett et al.		
2006/0221605	A1	10/2006	Therault		
2007/0019398	A1	1/2007	Chen et al.		

2007/0153512	A1	7/2007	Hendrie
2008/0094822	A1	4/2008	Hsu
2008/0304258	A1	12/2008	McMillan et al.
2010/0027249	A1	2/2010	Connor et al.
2010/0085738	A1	4/2010	Bertken
2010/0157582	A1	6/2010	Bertken

FOREIGN PATENT DOCUMENTS

GB	2353853	A	7/2001
WO	9428347	A1	12/1994
WO	2005073616	A1	8/2005
WO	2010039155	A1	4/2010

* cited by examiner




FIG. 1




FIG. 2




FIG. 3

FIG. 4





FIG. 5






FIG. 6

FIG. 7

