



US00D648640S

(12) **United States Design Patent**
Wang

(10) **Patent No.:** **US D648,640 S**

(45) **Date of Patent:** **** Nov. 15, 2011**

(54) **SENSOR**

(75) Inventor: **Yi Wang**, San Ramon, CA (US)

(73) Assignee: **Abbott Diabetes Care Inc.**, Alameda, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/368,373**

(22) Filed: **Aug. 23, 2010**

Related U.S. Application Data

(62) Division of application No. 29/356,859, filed on Mar. 3, 2010, which is a division of application No. 29/331,288, filed on Jan. 22, 2009, now Pat. No. Des. 613,190, which is a division of application No. 29/275,392, filed on Dec. 22, 2006, now Pat. No. Des. 587,142.

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/46**

(58) **Field of Classification Search** D10/46;
73/864.73, 61.41; 204/404, 405, 416-418,
204/403.01-403.14, 403.1, 403.12; 205/775,
205/776, 792; 422/68.1

See application file for complete search history.

6,767,440	B1	7/2004	Bhullar et al.
6,818,180	B2	11/2004	Douglas et al.
6,837,976	B2	1/2005	Cai et al.
6,866,758	B2	3/2005	Bhullar et al.
6,893,545	B2	5/2005	Gotoh et al.
6,923,894	B2	8/2005	Huang et al.
7,008,799	B1	3/2006	Zimmer et al.
7,081,188	B1	7/2006	Cho
7,122,110	B2	10/2006	Dena et al.
7,125,481	B2	10/2006	Musho et al.
7,160,251	B2	1/2007	Neel et al.
7,250,095	B2	7/2007	Black et al.
7,258,769	B2	8/2007	Cui et al.
7,802,467	B2 *	9/2010	Wang 73/61.41
7,862,696	B2 *	1/2011	Wu et al. 204/403.01
7,866,026	B1 *	1/2011	Wang et al. 29/593
7,905,997	B2 *	3/2011	Groll et al. 204/403.02
2003/0086073	A1	5/2003	Braig et al.
2004/0186394	A1	9/2004	Roe et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EP 1 437 589 7/2004

(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Edward J. Baba; Bozicevic, Field & Francis LLP

(57) **CLAIM**

The ornamental design for sensor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view, showing the top, left side and front side, of a sensor of the present invention, with no claim made to the portions illustrated in phantom;
FIG. 2 is a top view of the sensor of FIG. 1; the bottom view of the sensor being the same as the top view;
FIG. 3 is a front side view of the sensor of FIG. 1; and,
FIG. 4 is a left side view of the sensor of FIG. 1.

1 Claim, 1 Drawing Sheet

(56) **References Cited**

U.S. PATENT DOCUMENTS

D331,807	S	12/1992	Sodergren
D381,591	S	7/1997	Rice et al.
6,071,391	A	6/2000	Gotoh et al.
6,156,173	A	12/2000	Gotoh et al.
6,174,420	B1	1/2001	Hodges et al.
6,270,637	B1	8/2001	Crismore et al.
6,428,664	B1	8/2002	Bhullar et al.
6,447,657	B1	9/2002	Bhullar et al.
6,503,381	B1	1/2003	Gotoh et al.
6,521,110	B1	2/2003	Hodges et al.



US D648,640 S

Page 2

U.S. PATENT DOCUMENTS

2005/0258052 A1 11/2005 Gotoh et al.
2006/0228263 A1 10/2006 Berndtsson et al.
2007/0278097 A1 12/2007 Bhullar et al.
2008/0105568 A1 5/2008 Wu
2008/0128278 A1 6/2008 Bae et al.
2008/0179197 A1 7/2008 Wu

2008/0237062 A1 10/2008 Kim et al.
2009/0145754 A1 6/2009 Yang et al.

FOREIGN PATENT DOCUMENTS

WO WO 01/73395 10/2001
WO WO 2005/043133 5/2005

* cited by examiner

FIG. 1



FIG. 2



FIG. 3



FIG. 4

