

### (12) United States Design Patent (10) Patent No.: US D648,883 S Levine (45) Date of Patent: \*\* Nov. 15, 2011

#### (54) LIGHTING DEVICE

(76) Inventor: Jonathan E. Levine, New York, NY(US)

(\*\*) Term: 14 Years

(21) Appl. No.: 29/387,874

(22) Filed: Mar. 19, 2011 (51)(52)U.S. Cl. ..... D26/60 Field of Classification Search ...... D26/60–66, (58)D26/37, 38, 40, 43, 44, 46, 51; 362/98, 99, 362/157, 187, 188, 190, 191, 197, 198, 800, 362/269, 270, 274, 277, 278, 281–283, 285, 362/287, 288, 396, 372, 319, 174, 577, 581, 362/555 See application file for complete search history. (56)**References** Cited U.S. PATENT DOCUMENTS D190.295 S 5/1961 Becker

D618,385	S	*	6/2010	Nelson et al D26/138
D636,916	S	*	4/2011	Nelson et al D26/60
2005/0007778	A1	*	1/2005	Lin 362/250

#### \* cited by examiner

Primary Examiner — Susan M Lee
Assistant Examiner — Linda G. Brooks
(74) Attorney, Agent, or Firm — Perkin Coie LLP

(57) **CLAIM** I claim the ornamental design for a lighting device, as shown and described.

D190,295	0		5/1901	DUCKU
D283,645	S		4/1986	Tanaka
D436,202	S	*	1/2001	Chen D26/60
6,666,563	B2	*	12/2003	Brown 362/84
D529,651	S	*	10/2006	Chan D26/60
D544,124	S	*	6/2007	Chan D26/60
D563,011	S	*	2/2008	Major D26/61
D590,533	S	*	4/2009	Li D26/60
D590,534	S		4/2009	Levine
D607,129	S		12/2009	Levine
D612,971	S	*	3/2010	Levine D26/63
D612,972	S	*	3/2010	Levine D26/63

#### DESCRIPTION

FIG. 1 is a perspective view of a lighting device showing my new design in a first configuration, as viewed from the top and one side.

FIG. 2 is a perspective view of the lighting device of FIG. 1 in a second configuration, as viewed from the top and one side. FIG. 3 is a first side elevation view of the lighting device of FIG. 1 in the first configuration.

FIG. **4** is a front elevation view of the lighting device of FIG. **1** in the first configuration.

FIG. **5** is a second side elevation view of the lighting device of FIG. **1** in the first configuration.

FIG. 6 is a back elevation view of the lighting device of FIG. 1 in the first configuration.

FIG. 7 is a top plan view of the lighting device of FIG. 1 in the first configuration; and,

FIG. 8 is a bottom plan view of the lighting device of FIG. 1 in the first configuration.

The details shown in broken lines illustrate portions of the

lighting device that form no part of the claimed design.

#### 1 Claim, 4 Drawing Sheets



### U.S. Patent Nov. 15, 2011 Sheet 1 of 4 US D648,883 S





FIG. 1





# U.S. Patent Nov. 15, 2011 Sheet 2 of 4 US D648,883 S









## U.S. Patent Nov. 15, 2011 Sheet 3 of 4 US D648,883 S





### U.S. Patent Nov. 15, 2011 Sheet 4 of 4 US D648,883 S

