



US00D648987S

(12) **United States Design Patent**
Kouyoumdjian et al.

(10) **Patent No.:** **US D648,987 S**

(45) **Date of Patent:** **** Nov. 22, 2011**

(54) **BEVERAGE COOLER**

(76) Inventors: **Raffi Kouyoumdjian**, Alamo, CA (US);
Robert Petner, Burlington, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/384,668**

(22) Filed: **Feb. 2, 2011**

(51) **LOC (9) Cl.** **07-01**

(52) **U.S. Cl.** **D7/605**

(58) **Field of Classification Search** D7/605–608;
62/457.1–457.9, 530, 371, 372, 326, 258;
220/592.09, 592.01, 592.12, 592.17, 592.19;
206/139, 141, 145

See application file for complete search history.

6,899,221 B2 5/2005 Skolik et al.
6,938,756 B2 9/2005 Schuster
6,990,831 B2* 1/2006 Fiene 62/457.5
7,063,208 B2 6/2006 Lebras
7,128,206 B2 10/2006 Kohler
7,240,514 B2* 7/2007 Gary 62/457.5
7,357,247 B2 4/2008 Guenther
7,552,820 B2 6/2009 Kohler

(Continued)

Primary Examiner — Terry Wallace

(74) *Attorney, Agent, or Firm* — Stuart M. Goldstein

(57) **CLAIM**

The ornamental design for a beverage cooler, as shown and described.

DESCRIPTION

(56) **References Cited**


U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|-------------------|----------|
| 2,648,954 A | 9/1950 | Wheeler et al. | |
| 3,401,535 A * | 9/1968 | Palmer | 62/457.5 |
| 4,266,407 A | 5/1981 | Gibson | |
| 4,438,637 A * | 3/1984 | Atkinson | 62/457.5 |
| 4,441,336 A | 4/1984 | Cannon | |
| D292,057 S | 9/1987 | Beal | |
| 5,458,234 A | 10/1995 | Harris | |
| 5,522,239 A | 6/1996 | Schwartz et al. | |
| 5,538,131 A | 7/1996 | Harrelson | |
| 5,562,228 A | 10/1996 | Ericson | |
| 5,593,027 A | 1/1997 | Sutherland | |
| 5,806,338 A | 9/1998 | Schwartz et al. | |
| D401,479 S | 11/1998 | Norman et al. | |
| 5,845,515 A | 12/1998 | Nelson | |
| 5,848,695 A | 12/1998 | Harris et al. | |
| 5,871,090 A | 2/1999 | Doucette et al. | |
| 5,901,571 A | 5/1999 | Whaley | |
| 6,041,920 A | 3/2000 | Hart et al. | |
| 6,067,813 A * | 5/2000 | Smith | 62/371 |
| 6,102,197 A | 8/2000 | Negelen | |
| 6,112,977 A | 9/2000 | Sutherland et al. | |
| 6,131,729 A | 10/2000 | Eckermann et al. | |
| 6,247,585 B1 | 6/2001 | Holley, Jr. | |
| 6,446,461 B1 | 9/2002 | Williams, Jr. | |
| 6,571,941 B2 | 6/2003 | Holley, Jr. | |
| 6,834,762 B2 | 12/2004 | Krisko et al. | |

FIG. 1 is a perspective view from the top, front, right corner of a beverage cooler;
FIG. 2 is a left side elevation view of the beverage cooler of FIG. 1;
FIG. 3 is a right side elevation view of the beverage cooler of FIG. 1;
FIG. 4 is a front elevation view of the beverage cooler of FIG. 1, the rear elevation view being a mirror image thereof;
FIG. 5 is a top plan view of the beverage cooler of FIG. 1;
FIG. 6 is a perspective view from the top, front, right corner of a partially-assembled beverage cooler that is shown without the beverage retaining strap of FIG. 1;
FIG. 7 is a left side elevation view of the partially-assembled beverage cooler of FIG. 6;
FIG. 8 is a right side elevation view of the partially-assembled beverage cooler of FIG. 6;
FIG. 9 is a front elevation view of the partially-assembled beverage cooler of FIG. 6, the rear elevation view being a mirror image thereof; and,
FIG. 10 is a top plan view of the partially-assembled beverage cooler of FIG. 6.

The broken lines are for illustration purposes only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



US D648,987 S

Page 2

| U.S. PATENT DOCUMENTS | | | |
|-----------------------|-----|--------|-----------------------------|
| 7,677,387 | B2 | 3/2010 | Brand et al. |
| 7,779,997 | B2 | 8/2010 | Cuomo |
| 2002/0112501 | A1* | 8/2002 | Williams, Jr. 62/457.4 |
| 2004/0104134 | A1 | 6/2004 | Skolik et al. |
| 2009/0127139 | A1 | 5/2009 | Picciolo |
| 2010/0006458 | A1 | 1/2010 | Wilkins et al. |
| | | | * cited by examiner |




FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7




FIG. 9




FIG. 10