



US00D649086S

(12) **United States Design Patent**
Kaneko

(10) **Patent No.:** **US D649,086 S**

(45) **Date of Patent:** **** Nov. 22, 2011**

(54) **BUCKLE**

(75) Inventor: **Hitoshi Kaneko**, Toyama-ken (JP)

(73) Assignee: **YKK Corporation** (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/394,860**

(22) Filed: **Jun. 22, 2011**

(30) **Foreign Application Priority Data**

Dec. 22, 2010 (JP) D2010-030626

(51) **LOC (9) Cl.** **02-07**

(52) **U.S. Cl.** **D11/216**

(58) **Field of Classification Search** D11/1-2,
D11/200-201, 206-210, 214-218; 24/163 R,
24/169-171, 173, 177-179, 191, 194-195,
24/197, 200, 614-616, 625; 240/169-171;
D3/318; 280/808

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D519,878 S *	5/2006	Anscher	D11/216
D524,693 S *	7/2006	Uehara et al.	D11/216
D560,552 S *	1/2008	Saitsu et al.	D11/216
D563,268 S *	3/2008	Buscart et al.	D11/216
D575,672 S *	8/2008	Yoshiguchi	D11/216
D576,519 S	9/2008	Uehara		
D597,441 S	8/2009	Uehara		
D637,941 S *	5/2011	Paik	D11/216

* cited by examiner

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend Stockton LLP

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the bottom, front and right side of a buckle showing my (our) new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom view thereof; and,
FIG. 6 is a right side view thereof; the left side view being mirror image thereof.

1 Claim, 5 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

