



US00D649115S

(12) **United States Design Patent**
Miura

(10) **Patent No.:** **US D649,115 S**

(45) **Date of Patent:** **** Nov. 22, 2011**

(54) **COIL COMPONENT**

(75) Inventor: **Fuyuki Miura**, Tokyo (JP)

(73) Assignee: **TDK Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/365,727**

(22) Filed: **Jul. 14, 2010**

(30) **Foreign Application Priority Data**

Apr. 15, 2010 (JP) D2010-009545

Apr. 15, 2010 (JP) D2010-009549

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/117**

(58) **Field of Classification Search** D13/117,
D13/101, 103, 110, 118, 120, 122, 152, 156,
D13/179, 183, 184, 199; D6/467, 480; D9/414,
D9/416, 419, 420, 423, 424, 426, 430, 432,
D9/456, 631, 636, 734; D14/125, 214, 348,
D14/356; D19/35, 53, 54; D21/484, 491,
D21/494, 500, 503, 504, 505; D25/112,
D25/113, 115, 118, 119; D32/40, 43; D99/1,
D99/28; 29/598, 601, 602.1, 604, 605; 123/634,
123/635; 174/17 LF, 50, 50.52; 229/100,
229/110, 111, 112, 116, 117.01, 120.18,
229/902, 938; 336/82, 83, 90, 92, 96, 110,
336/199, 200, 221, 223

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,371,301 A * 2/1968 Hisano 336/83
D277,803 S * 2/1985 Franko et al. D99/28
D292,839 S * 11/1987 Brogdon D99/1
D305,574 S * 1/1990 Sakata D25/113
D329,806 S * 9/1992 Kindt D9/430
D330,541 S * 10/1992 Burrow et al. D13/183
D349,046 S * 7/1994 Brown D9/636

D352,789 S * 11/1994 Adam D25/113
D356,254 S * 3/1995 Correll D9/423
5,527,988 A * 6/1996 Hernandez et al. 174/17 LF
5,535,940 A * 7/1996 Olds 229/110
D424,026 S * 5/2000 Kabat D13/184
6,157,283 A * 12/2000 Tsunemi 336/192
D442,547 S * 5/2001 Takebuchi et al. D13/117
D458,693 S * 6/2002 Sievert D25/113
6,568,586 B1 * 5/2003 VanEsley et al. 229/120.18
D530,832 S * 10/2006 Rainey D25/114
7,129,810 B1 * 10/2006 Kimura 336/83
D538,643 S * 3/2007 Babbino et al. D9/430
D545,687 S * 7/2007 Krinsky et al. D9/631
D550,622 S * 9/2007 Shih D13/118
D564,794 S * 3/2008 Ehresman D6/467
D567,193 S * 4/2008 Kang et al. D14/125
7,471,179 B2 * 12/2008 Hatakeyama et al. 336/192
2006/0283744 A1 * 12/2006 Kruit 206/427
2007/0109087 A1 * 5/2007 Kawarai 336/200
2009/0144967 A1 * 6/2009 Hasu et al. 29/605

* cited by examiner

FOREIGN PATENT DOCUMENTS

JP D1327084 4/2008

Primary Examiner — Stella Reid

Assistant Examiner — Derrick Holland

(74) *Attorney, Agent, or Firm* — Oliff & Berridge, PLC

(57) **CLAIM**

The ornamental design for a coil component, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a coil component;

FIG. 2 is a front view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a right-side view thereof;


FIG. 5 is a left-side view thereof;

FIG. 6 is a rear view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7