



US00D649248S

(12) **United States Design Patent**  
**Griffs, III et al.**

(10) **Patent No.:** **US D649,248 S**

(45) **Date of Patent:** **\*\* Nov. 22, 2011**

(54) **SUTURE ANCHOR DEVICE**

(75) Inventors: **Jack C. Griffs, III**, Decatur, GA (US);  
**Kenneth A. Gall**, Atlanta, GA (US);  
**Christopher M. Yakacki**, Atlanta, GA (US)

(73) Assignee: **Medshape Solutions, Inc.**, Atlanta, GA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/376,038**

(22) Filed: **Sep. 30, 2010**

(51) **LOC (9) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/145**

(58) **Field of Classification Search** ..... D24/145-146,  
D24/133, 140, 147; 606/60, 62, 79, 102,  
606/144, 147-148, 232-233, 300, 303, 306,  
606/308, 310, 323, 352, 916  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,898,156	A	2/1990	Gattorna et al.
5,013,316	A	5/1991	Goble et al.
5,100,417	A	3/1992	Cerier et al.
5,224,946	A	7/1993	Hayhurst et al.
5,258,016	A	11/1993	Dipoto et al.
5,370,662	A	12/1994	Stone et al.
5,411,506	A	5/1995	Goble et al.
5,545,180	A	8/1996	Le et al.
5,584,860	A	12/1996	Goble et al.
D386,583	S	11/1997	Ferragamo et al.

6,165,203	A	12/2000	Krebs	
D605,763	S	12/2009	Griffis, III et al.	
D625,816	S	10/2010	Griffis, III et al.	
2008/0109037	A1	5/2008	Steiner et al.	
2008/0234731	A1	9/2008	Leung et al.	
2009/0287226	A1*	11/2009	Gellman et al.	606/144
2009/0292313	A1	11/2009	Anspach, III et al.	
2010/0063542	A1	3/2010	van der Burg et al.	
2010/0179592	A1*	7/2010	Martinek et al.	606/232
2010/0331881	A1*	12/2010	Hart	606/232

\* cited by examiner

*Primary Examiner* — Ian Simmons

*Assistant Examiner* — Wan Laymon

(74) *Attorney, Agent, or Firm* — Greenberg Traurig, LLP

(57) **CLAIM**


The ornamental design for a suture anchor device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a new design for a suture anchor device;  
FIG. 2 is a second perspective view thereof;  
FIG. 3 is a front side view thereof, the rear side view thereof being identical in appearance;  
FIG. 4 is a right side view thereof, the left side view thereof being identical in appearance;  
FIG. 5 is an enlarged top view thereof; and,  
FIG. 6 is an enlarged bottom view thereof.

The broken lines immediately adjacent to the shaded areas represent the bounds of the claimed design while all other broken lines represent environmental structure and are for illustrative purposes only; the broken lines form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D649,248 S  
APPLICATION NO. : 29/376038  
DATED : November 22, 2011  
INVENTOR(S) : Griffis, III et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Title page Item (12) & Item (75), the Inventors, line 1, replace “Griffs” with --Griffis--;

In the last line of the Description, replace “clamed” with --claimed--.

Signed and Sealed this  
Seventh Day of February, 2012

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive style with a large initial 'D' and 'K'.

David J. Kappos  
*Director of the United States Patent and Trademark Office*