



US00D649307S

(12) **United States Design Patent**  
**Zach et al.**

(10) **Patent No.:** **US D649,307 S**

(45) **Date of Patent:** **\*\* Nov. 22, 2011**

(54) **WAND**

(75) Inventors: **Steven A. Zach**, Waterford, WI (US);  
**John C. Taylor**, Kenosha, WI (US);  
**Nancy L. Broen**, Racine, WI (US);  
**Wendy A. Weeks**, Racine, WI (US)

(73) Assignee: **S. C. Johnson & Son, Inc.**, Racine, WI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/380,652**

(22) Filed: **Dec. 9, 2010**

(51) **LOC (9) Cl.** ..... **15-05**

(52) **U.S. Cl.** ..... **D32/14**

(58) **Field of Classification Search** ..... D32/14,  
D32/25, 35; D24/217, 231-232; D22/108;  
D8/68; 15/104.001, 104.05, 104.33  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

566,570	A	8/1896	Frick	
793,469	A	6/1905	Sachs	
834,135	A	10/1906	Hymes	
986,268	A	3/1911	Colina et al.	
1,256,478	A	2/1918	Hansen	
1,261,444	A	4/1918	Schied	
D59,382	S	10/1921	Shirley	
1,555,460	A *	9/1925	Cotta	15/104.16
1,559,900	A	11/1925	McCarthy	
1,588,737	A	6/1926	Hurd	
1,608,347	A	11/1926	Thompson et al.	
1,844,433	A	2/1932	Markowitz	
1,845,442	A *	2/1932	Robinson	15/104.33
1,886,676	A	11/1932	Heuacker	
1,979,932	A	11/1934	Beckett	
2,096,162	A	10/1937	Daley	
2,207,180	A	7/1940	Smith et al.	

2,429,581	A	10/1947	Maitlen	
1,479,224	A	8/1949	Flinn	
2,529,952	A	11/1950	Leunis	
2,961,785	A *	11/1960	Toepfer	40/669
3,360,818	A	1/1968	Edwards	
D237,994	S	12/1975	Davis	
D247,590	S	3/1978	Atherton et al.	
4,510,649	A *	4/1985	Yudis et al.	24/16 PB
4,669,635	A	6/1987	Brookhart	
4,889,106	A	12/1989	Watanabe	
5,003,657	A	4/1991	Boiteau et al.	
5,276,934	A	1/1994	Brzoska	
5,374,276	A *	12/1994	Lay	606/162
5,769,960	A	6/1998	Nirmel	
5,836,032	A	11/1998	Hondo	
D429,820	S *	8/2000	Meske et al.	D24/217
D435,944	S	1/2001	Luoma	

(Continued)

**FOREIGN PATENT DOCUMENTS**

DE 9415962 1/1994

*Primary Examiner* — T. Chase Nelson

*Assistant Examiner* — Kathleen M Sims

(57) **CLAIM**

The ornamental design for a wand, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a wand according to our new design;

FIG. 2 is a front elevation view of the wand of FIG. 1;

FIG. 3 is a rear elevation view of the wand of FIG. 1;

FIG. 4 is a left side elevation view of the wand of FIG. 1;

FIG. 5 is a right side elevation view of the wand of FIG. 1;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view of the wand of FIG. 1.

The broken lines represent environmental structure and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



# US D649,307 S

Page 2

---

## U.S. PATENT DOCUMENTS

6,270,510	B1 *	8/2001	Westendorf .....	606/162	D518,252	S	3/2006	Wu	
D451,372	S *	12/2001	Cedarberg, III .....	D8/396	D532,978	S *	12/2006	Robinson .....	D4/128
D472,135	S *	3/2003	Labbe .....	D8/394	D542,928	S *	5/2007	Bauer .....	D24/217
6,775,873	B2	8/2004	Luoma		7,356,869	B2 *	4/2008	Knopow et al. ....	15/210.1
6,920,663	B2 *	7/2005	Petit .....	15/104.33	D596,759	S *	7/2009	Burke .....	D24/230
D511,278	S	11/2005	Carfagnini		7,584,513	B2 *	9/2009	Turner .....	4/255.01
6,961,979	B2 *	11/2005	Wendle .....	24/16 PB	D610,761	S *	2/2010	Gengler et al. ....	D32/35
6,962,014	B2 *	11/2005	McCabe et al. ....	40/316	D639,623	S *	6/2011	Tash .....	D8/14
D515,408	S *	2/2006	Cheung .....	D8/394	2001/0022398	A1 *	9/2001	Grill et al. ....	257/758

\* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5





FIG. 6



FIG. 7