



US00D649344S

(12) **United States Design Patent**  
**Bernatchez**

(10) **Patent No.:** **US D649,344 S**

(45) **Date of Patent:** **\*\* Nov. 29, 2011**

(54) **L-SHAPED KEY HOLDER WITH A HEAD  
END AND A WHISTLE END**

D398,365 S 9/1998 Bader  
5,829,643 A 11/1998 Isabella  
5,863,251 A 1/1999 Fusco  
D428,695 S 8/2000 Rothschild  
6,147,611 A 11/2000 Otero

(Continued)

(75) Inventor: **Georges-André Bernatchez,**  
St-Augustin-de-Desmaures (CA)

(73) Assignee: **Yoogo Projections, Inc.,** Quebec (CA)

(\*\*) Term: **14 Years**

CA 2052972 5/1992

(Continued)

(21) Appl. No.: **29/394,055**

(22) Filed: **Jun. 13, 2011**

**FOREIGN PATENT DOCUMENTS**

*Primary Examiner* — R. Seifert

(74) *Attorney, Agent, or Firm* — King & Spalding LLP

**Related U.S. Application Data**

(62) Division of application No. 29/381,293, filed on Dec.  
17, 2010, now Pat. No. Des. 641,152.

(51) **LOC (9) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/212**

(58) **Field of Classification Search** ..... D3/207–212;  
D11/31–33, 44, 48–51, 66; 70/456 R, 456 B,  
70/457–460; 24/3.6; D13/168; 362/116;  
D8/348

See application file for complete search history.

(57) **CLAIM**

The ornamental design for an L-shaped key holder with a  
head end and a whistle end, as shown and described.

**DESCRIPTION**

FIG. 1 is a left side perspective view of the L-shaped key  
holder with a head end and a whistle end;  
FIG. 2 is a right side perspective view of the L-shaped key  
holder with a head end and a whistle end;  
FIG. 3 is a top view of the L-shaped key holder with a head  
end and a whistle end;  
FIG. 4 is a bottom view of the L-shaped key holder with a  
head end and a whistle end;  
FIG. 5 is a front view of the L-shaped key holder with a head  
end and a whistle end;  
FIG. 6 is a back view of the L-shaped key holder with a head  
end and a whistle end;  
FIG. 7 is a left side view of the L-shaped key holder with a  
head end and a whistle end; and,  
FIG. 8 is a right side view of the L-shaped key holder with a  
head end and a whistle end.


The broken lines shown in this embodiment are included for  
the purposes of illustrating environmental matter and form no  
part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,160,369 A 7/1979 Pearson  
D252,541 S 8/1979 Harper  
4,498,669 A 2/1985 Chun  
4,739,990 A 4/1988 Aguirre  
D301,513 S 6/1989 Wright  
D308,297 S 6/1990 Romano  
5,108,098 A 4/1992 Ashihara  
D333,692 S 3/1993 Parsons  
5,192,074 A 3/1993 Ashihara  
D352,339 S 11/1994 McGowan  
5,405,134 A 4/1995 Wolfram  
D360,720 S 7/1995 Drevo et al.  
5,475,368 A 12/1995 Collins  
5,712,619 A 1/1998 Simkin  
5,783,875 A 7/1998 Jaros

**1 Claim, 4 Drawing Sheets**



# US D649,344 S

Page 2

---

## U.S. PATENT DOCUMENTS

D442,448 S 5/2001 Kelleghan  
6,811,493 B1 11/2004 Lee  
D504,222 S 4/2005 Kieffer  
D505,784 S \* 6/2005 Yeh ..... D3/211  
D509,353 S 9/2005 Billings  
6,942,362 B1 9/2005 Deutsch  
7,156,535 B1 1/2007 Deutsch  
7,185,999 B2 3/2007 Lui  
D580,160 S 11/2008 Wilson et al.  
2002/0017231 A1 2/2002 Tanaka

2004/0155781 A1 8/2004 DeOme  
2005/0237736 A1 10/2005 Wimsatt  
2007/0133201 A1 6/2007 Lui  
2007/0238532 A1 10/2007 Stethem  
2008/0178251 A1 7/2008 Shin

## FOREIGN PATENT DOCUMENTS

WO WO 9111054 7/1991  
WO WO 2008045003 4/2008  
WO WO 2010146571 12/2010

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

FIG. 8

