



US00D649389S

(12) **United States Design Patent**
Bickert et al.

(10) **Patent No.:** **US D649,389 S**

(45) **Date of Patent:** **** Nov. 29, 2011**

(54) **TUMBLER STRAW**

(75) Inventors: **Robert Bickert**, Mobile, AL (US);
Mark Eyman, Chicago, IL (US)

(73) Assignee: **EBSCO Industries, Inc.**, Birmingham,
AL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/390,295**

(22) Filed: **Apr. 22, 2011**

(51) **LOC (9) Cl.** **07-06**

(52) **U.S. Cl.** **D7/300.2**

(58) **Field of Classification Search** D7/300.2,
D7/376, 643, 688, 692; D24/147; D12/215;
D15/138, 139; 30/123.3, 141; 215/229,
215/388, 389; 239/16, 17, 24, 33; 366/129,
366/308, 343; 416/72; D1/102
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

674,446	A	5/1901	Marx	
2,092,353	A *	9/1937	Kyseth et al.	366/343
2,613,107	A	10/1952	Hartnett	
D171,434	S *	2/1954	Borgfeldt	D7/300.2
2,979,267	A *	4/1961	Miller	239/33
3,038,256	A	6/1962	Mayer	
D211,046	S *	5/1968	Saffran	D7/300.2
D218,698	S *	9/1970	Mannheimer	D7/300.2
3,648,369	A *	3/1972	Frodsham	30/141
4,260,267	A *	4/1981	Walton	366/343
D278,065	S *	3/1985	Sydrowski et al.	D15/139
D304,893	S *	12/1989	Scaggs	D7/692
D317,972	S *	7/1991	Liu et al.	D7/688
D328,905	S *	8/1992	Triano	D15/138

D362,834	S *	10/1995	Stout et al.	D12/215
D393,566	S *	4/1998	Buehner	D7/300.2
D402,847	S *	12/1998	Kinder	D7/300.2
6,056,206	A	5/2000	Whiton	
D440,810	S *	4/2001	Olson	D7/300.2
6,561,434	B2	5/2003	Kaplan	
6,619,833	B1 *	9/2003	Skudelny	366/129
D532,242	S	11/2006	Aikens	
7,441,940	B2 *	10/2008	Vanek	366/129
D595,099	S *	6/2009	Dederer	D7/688
D600,510	S *	9/2009	Courington et al.	D7/688
D638,243	S *	5/2011	Carlson et al.	D7/300.2
D638,244	S	5/2011	Wallace	
2008/0128529	A1 *	6/2008	Fernandez	239/33
2011/0062168	A1	3/2011	Chow et al.	

FOREIGN PATENT DOCUMENTS

EP 1 832 208 9/2007

* cited by examiner

Primary Examiner — Cynthia M Chin

(74) *Attorney, Agent, or Firm* — Smith Gambrell & Russell LLP



(57) **CLAIM**

The ornamental design for a tumbler straw, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the tumbler straw;
FIG. 2 is a top plan view of the tumbler straw;
FIG. 3 is a bottom view of the tumbler straw;
FIG. 4 is a front side view of the tumbler straw;
FIG. 5 is a rear side view of the tumbler straw;
FIG. 6 is a right side view of the tumbler straw; and,
FIG. 7 is a left side view of the tumbler straw.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7