



US00D649596S

(12) **United States Design Patent**
Hancock

(10) **Patent No.:** **US D649,596 S**
(45) **Date of Patent:** **** Nov. 29, 2011**

(54) **REFLECTIVE OCCUPANCY INDICATOR SIGN**

(76) Inventor: **William D. Hancock**, Jacksonville, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/392,461**

(22) Filed: **May 20, 2011**

(51) **LOC (9) Cl.** **20-03**

(52) **U.S. Cl.** **D20/29; D20/40**

(58) **Field of Classification Search** D20/10, D20/11, 13-15, 17-19, 22, 23, 27, 29, 39-42, D20/99; 40/124.01-124.09, 124.11-124.19, 40/124.191, 200, 299.01, 446, 452, 453, 40/538, 541, 542, 545-548, 563, 564, 568, 40/570-574, 582, 584, 594, 600, 605, 615, 40/617, 618, 624; D10/104.1, 109.1, 109.2; D11/96; D23/248; 362/812

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D41,692 S * 8/1911 Martin et al. D11/96
- D239,338 S 3/1976 Christman
- D336,932 S 6/1993 Davis et al.
- D349,733 S 8/1994 Svee
- D359,514 S 6/1995 Cusano

- D380,233 S * 6/1997 Taylor, Sr. D20/13
- D380,234 S 6/1997 Hipple et al.
- D390,608 S 2/1998 Holden
- D408,865 S 4/1999 Link et al.
- D412,184 S * 7/1999 Garrett D20/11
- D421,234 S 2/2000 Hall et al.
- D422,315 S * 4/2000 Bosack D20/11
- D489,767 S 5/2004 White
- D503,746 S 4/2005 Lewandowski
- D571,439 S * 6/2008 Wellner et al. D23/249
- D613,800 S 4/2010 Miller

* cited by examiner

Primary Examiner — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — QuickPatents, Inc.; Kevin Prince

(57) **CLAIM**

I claim the ornamental design for a reflective occupancy indicator sign, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a reflective occupancy indicator sign, showing my new design; and, FIG. 2 is a front elevational view thereof.

The broken lines showing words, a dog, and paw-prints in FIGS. 1 and 2 depict environmental matter and form no part of the claimed design.

The vertical-line shaded elements signify the color red.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2