US00D649645S

(12) **United States Design Patent**
Barker et al.

(10) **Patent No.: US D649,645 S**
(45) **Date of Patent: ** Nov. 29, 2011**

(54) **PATIENT MONITOR MODULE**

(75) Inventors: **Nicholas Barker**, Laguna Beach, CA (US); **James Wilson**, Norwood, MA (US); **Allan Cameron**, Natik, MA (US); **Peter Schon**, New York City, NY (US)

(73) Assignee: **Mindray DS USA, Inc.**, Mahwah, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/383,806**

(22) Filed: **Jan. 21, 2011**

(51) **LOC (9) Cl.** **24-01**
(52) **U.S. Cl.** **D24/186**
(58) **Field of Classification Search** D24/111, D24/125, 138, 144, 158, 160, 185–186, 231, D24/232, 169, 200; 128/915–916, 922, 660.01, 128/660.02, 660.03, 660.07, 653; 600/437–457; 248/918; D14/125, 434, 447, 217; D13/107–108, D13/162; D10/52
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D434,142	S	*	11/2000	Cheney et al.	D24/111
D504,726	S	*	5/2005	Ryan	D24/200
D511,008	S	*	10/2005	Ryan	D24/186
D567,382	S	*	4/2008	Tamburrino et al.	D24/185
D574,961	S	*	8/2008	Kitahara et al.	D24/186
D598,098	S	*	8/2009	Tanaka	D24/107
D598,100	S	*	8/2009	Tanaka	D24/138
D598,402	S	*	8/2009	Huang et al.	D14/125
D598,403	S	*	8/2009	Huang et al.	D14/125

(Continued)

Primary Examiner — T. Chase Nelson
Assistant Examiner — Mark Cavanna
(74) *Attorney, Agent, or Firm* — Kory D. Christensen; Stoel Rives LLP

(57) **CLAIM**

The ornamental design for a patient monitor module, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of a first embodiment of a patient monitor module, showing our new design;
FIG. **2** is a front elevation view thereof;
FIG. **3** is a rear elevation view thereof;
FIG. **4** is a left side elevation view thereof;
FIG. **5** is a right side elevation view thereof;
FIG. **6** is a top plan view thereof;
FIG. **7** is a bottom plan view thereof;
FIG. **8** is a front perspective view of a second embodiment of a patient monitor module, it being understood that other views of the second embodiment of a patient monitor module are identical to those of the first embodiment of a patient monitor module shown in FIGS. **1-7** and described with respect thereto, except that all features that extend between an upper surface and a lower surface of the second embodiment of a patient monitor are longitudinally elongated in a manner that is clearly apparent from a comparison of FIG. **1** to FIG. **8**; and,
FIG. **9** is a front perspective view of a third embodiment of a patient monitor module, it being understood that other views of the third embodiment of a patient monitor module are identical to those of the first embodiment of a patient monitor module shown in FIGS. **1-7** and described with respect thereto, except that all features that extend between an upper surface and a lower surface of the third embodiment of a patient monitor are longitudinally elongated in a manner that is clearly apparent from a comparison of FIG. **1** to FIG. **9**.
The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design, while all other broken lines are directed to environment; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets





U.S. PATENT DOCUMENTS

D599,744	S	*	9/2009	Reedy	D13/162
D609,351	S	*	2/2010	Wagener et al.	D24/186
D612,514	S	*	3/2010	Johnston et al.	D24/232
D625,014	S	*	10/2010	Hansen et al.	D24/186
D625,015	S	*	10/2010	Hansen et al.	D24/186
D627,476	S	*	11/2010	Gaw et al.	D24/186
D629,112	S	*	12/2010	Immekus	D24/186

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9