



US00D649723S

(12) **United States Design Patent**
Zach et al.

(10) **Patent No.:** **US D649,723 S**

(45) **Date of Patent:** **** Nov. 29, 2011**

(54) **WAND**

(75) Inventors: **Steven A. Zach**, Waterford, WI (US);
John C. Taylor, Kenosha, WI (US);
Nancy L. Broen, Racine, WI (US); **Ann Marie Przepasniak**, Sturtevant, WI (US); **David A. Smith**, Brookfield, WI (US); **Daniel I. Saper**, Milwaukee, WI (US); **Michael J. Bauman**, Burlington, WI (US); **Travis D. Wesley**, Franklin, WI (US); **Douglas A. Soller**, Racine, WI (US); **Wendy A. Weeks**, Racine, WI (US)

(73) Assignee: **S. C. Johnson & Son, Inc.**, Racine, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/380,647**

(22) Filed: **Dec. 9, 2010**

(51) **LOC (9) Cl.** **15-05**

(52) **U.S. Cl.** **D32/14**

(58) **Field of Classification Search** D32/14,
D32/25, 35; D24/217, 231-232; D22/108;
D8/68; 15/104.001, 104.05, 104.33

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

566,570 A	8/1896	Frick	
793,469 A	6/1905	Sachs	
834,135 A	10/1906	Hymes	
986,268 A	3/1911	Colina et al.	
1,256,478 A	2/1918	Hansen	
1,261,444 A	4/1918	Schied	
D59,382 S	10/1921	Shirley	
1,555,460 A *	9/1925	Cotta	15/104.16
1,559,900 A	11/1925	McCarthy	
1,588,737 A	6/1926	Hurd	

1,608,347 A	11/1926	Thompson et al.	
1,844,433 A	2/1932	Markowitz	
1,845,442 A *	2/1932	Robinson	15/104.33
1,886,676 A	11/1932	Heuacker	
1,979,932 A	11/1934	Beckett	
2,096,162 A	10/1937	Daley	
2,207,180 A	7/1940	Smith et al.	
2,429,581 A	10/1947	Maitlen	
1,479,224 A	8/1949	Flinn	
2,529,952 A	11/1950	Leunis	
2,961,785 A *	11/1960	Toepfer	40/669
3,360,818 A	1/1968	Edwards	
D237,994 S	12/1975	Davis	
D247,590 S	3/1978	Atherton et al.	
4,510,649 A *	4/1985	Yudis et al.	24/16 PB
4,669,635 A	6/1987	Brookhart	
4,889,106 A	12/1989	Watanabe	
5,003,657 A	4/1991	Boiteau et al.	
5,276,934 A	1/1994	Brzoska	

(Continued)

FOREIGN PATENT DOCUMENTS

DE 9415962 1/1994

Primary Examiner — T. Chase Nelson
Assistant Examiner — Kathleen M Sims

(57) **CLAIM**

The ornamental design for a wand, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a wand according to our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left side elevation view thereof;


FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines represent environmental structure and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D649,723 S

Page 2

U.S. PATENT DOCUMENTS

5,374,276	A *	12/1994	Lay	606/162	6,962,014	B2 *	11/2005	McCabe et al.	40/316
5,769,960	A	6/1998	Nirmel		D515,408	S *	2/2006	Cheung	D8/394
5,836,032	A	11/1998	Hondo		D51,852	S	3/2006	Wu	
D429,820	S *	8/2000	Meske et al.	D24/217	D532,978	S *	12/2006	Robinson	D4/128
D435,944	S	1/2001	Luoma		D542,928	S *	5/2007	Bauer	D24/217
6,270,510	B1 *	8/2001	Westendorf	606/162	7,356,869	B2 *	4/2008	Knopow et al.	15/210.1
D451,372	S *	12/2001	Cedarberg, III	D8/396	D596,759	S *	7/2009	Burke	D24/230
D472,135	S *	3/2003	Labbe	D8/394	7,584,513	B2 *	9/2009	Turner	4/255.01
6,775,873	B2	8/2004	Luoma		D610,761	S *	2/2010	Gengler et al.	D32/35
6,920,663	B2 *	7/2005	Petit	15/104.33	D639,623	S *	6/2011	Tash	D8/14
D511,278	S	11/2005	Carfagnini		2001/0022398	A1 *	9/2001	Grill et al.	257/758
6,961,979	B2 *	11/2005	Wendle	24/16 PB					

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5






FIG. 6



FIG. 7