



US00D650070S

(12) **United States Design Patent**
Mori

(10) **Patent No.:** **US D650,070 S**
(45) **Date of Patent:** **** Dec. 6, 2011**

(54) **INJECTOR**

(75) Inventor: **Masakazu Mori**, Ehime (JP)

(73) Assignee: **Panasonic Corporation**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/387,123**

(22) Filed: **Mar. 9, 2011**

(30) **Foreign Application Priority Data**

Sep. 16, 2010 (JP) 2010-022320

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/113**

(58) **Field of Classification Search** D24/112–114,
D24/133, 186, 104, 130, 127; 606/181, 185;
604/232, 187, 158, 164.08, 192, 263, 163,
604/181, 184, 198, 227

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D349,958 S 8/1994 Hollis et al.
D368,961 S 4/1996 Himbert et al.
D380,827 S 7/1997 Stringer et al.
D420,739 S 2/2000 Moreau-Defarges
D426,299 S * 6/2000 Bydlon et al. D24/112
D428,650 S 7/2000 Bellhouse et al.
D453,569 S 2/2002 Himbert
D455,209 S 4/2002 Himbert
D471,976 S 3/2003 Pavlu et al.
D476,078 S 6/2003 Pavlu et al.
D476,734 S 7/2003 Pavlu et al.
6,585,698 B1 * 7/2003 Packman et al. 604/232
D479,325 S 9/2003 Tyce
D479,598 S 9/2003 Tyce
D561,894 S 2/2008 Hudson
D575,395 S * 8/2008 Hushka D24/133
D585,133 S 1/2009 Petersen

D601,697 S * 10/2009 Sobiech et al. D24/133
D607,558 S 1/2010 Abry et al.
D608,442 S 1/2010 Tyce
D610,251 S 2/2010 Tyce
D610,252 S 2/2010 Tyce
D610,676 S 2/2010 Tyce
D610,677 S 2/2010 Tyce
D611,139 S 3/2010 Crawford et al.
D612,486 S 3/2010 Van der Stappen
D616,990 S * 6/2010 Suzuki D24/186
D619,244 S 7/2010 Van der Stappen
D620,106 S 7/2010 Van der Stappen
D621,500 S 8/2010 Sanders et al.
D621,932 S * 8/2010 Sonleiter et al. D24/133
D622,374 S 8/2010 Julian et al.
D622,393 S * 8/2010 Gatrall et al. D24/186

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1274586 6/2006

(Continued)

Primary Examiner — David Muller

(74) *Attorney, Agent, or Firm* — Brinks Hofer Gilson & Lione

(57) **CLAIM**

I claim the ornamental design for an injector, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an injector of the present invention;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;


FIG. 5 is a first side view thereof;

FIG. 6 is a second side view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

1 Claim, 5 Drawing Sheets



US D650,070 S

U.S. PATENT DOCUMENTS				JP	D1331048	5/2008
D622,401	S	*	8/2010 Suzuki	JP	D1341174	10/2008
D627,061	S		11/2010 Van der Stappen	JP	D1348135	1/2009
D628,692	S	*	12/2010 Greenhalgh	JP	D1348722	1/2009
D629,098	S	*	12/2010 Sonleiter et al.	JP	D1355467	4/2009
D638,934	S	*	5/2011 Kimmel	JP	D1356906	4/2009
D638,935	S	*	5/2011 Gilmore et al.	JP	D1357610	4/2009
D639,946	S	*	6/2011 Simon	JP	D1399162	10/2010
FOREIGN PATENT DOCUMENTS				JP	D1401279	11/2010
JP	D1288170	12/2006		JP	D1401280	11/2010
JP	D1303350	6/2007		JP	D1401282	11/2010
JP	D1319175	1/2008		JP	D1401283	11/2010
				* cited by examiner		

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

