

US00D650417S

(12) **United States Design Patent**  
**Brown et al.**

(10) **Patent No.:** **US D650,417 S**  
(45) **Date of Patent:** **\*\* Dec. 13, 2011**

(54) **CONTINUOUS FEED PRINTER**

(75) Inventors: **Donald A Brown**, Honeoye Falls, NY  
(US); **William T Clark, III**, Pittsford,  
NY (US); **Stephen F Skrainar**, Penfield,  
NY (US)

(73) Assignee: **Xerox Corporation**, Norwalk, CT (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/361,614**

(22) Filed: **May 13, 2010**

(51) **LOC (9) Cl.** ..... **18-02**

(52) **U.S. Cl.** ..... **D18/53**

(58) **Field of Classification Search** ..... D18/36,  
D18/38-40, 50, 53, 54, 56, 57; D14/303,  
D14/301, 308; D15/122, 127; 399/1-7,  
399/16, 75, 81, 107, 130, 155, 361, 365,  
399/381-383, 388; 400/611-629, 600, 691-694;  
271/3.14, 8.1, 226, 278; 358/1.1, 1.9, 3.01;  
101/126, 129, 131, 287; 355/97, 98  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|               |         |                  |        |
|---------------|---------|------------------|--------|
| D194,764 S *  | 3/1963  | Glaser et al.    | D18/53 |
| D209,872 S *  | 1/1968  | Plantholt et al. | D18/38 |
| D212,262 S *  | 9/1968  | Mallory          | D18/38 |
| D232,480 S *  | 8/1974  | Laughon          | D18/39 |
| D243,280 S *  | 2/1977  | Taylor et al.    | D18/53 |
| D258,446 S *  | 3/1981  | Beehler et al.   | D18/38 |
| D265,997 S *  | 8/1982  | Kando et al.     | D18/53 |
| D268,345 S *  | 3/1983  | Robertson        | D18/38 |
| D275,764 S *  | 10/1984 | Olson            | D18/38 |
| D305,130 S *  | 12/1989 | Ohtani et al.    | D18/53 |
| 4,970,554 A * | 11/1990 | Rourke           | 399/84 |
| D354,764 S *  | 1/1995  | Tokuda           | D18/53 |

|                   |         |                  |         |
|-------------------|---------|------------------|---------|
| D381,682 S *      | 7/1997  | Bornhorst et al. | D18/57  |
| D450,343 S *      | 11/2001 | Matsuo et al.    | D18/39  |
| D455,456 S *      | 4/2002  | Angelbeck        | D18/57  |
| D508,259 S *      | 8/2005  | Rieck et al.     | D18/39  |
| D544,534 S *      | 6/2007  | Reece            | D18/53  |
| D614,233 S *      | 4/2010  | Kemmochi et al.  | D18/53  |
| D619,639 S *      | 7/2010  | Brown et al.     | D18/40  |
| D621,442 S *      | 8/2010  | Kachi et al.     | D18/39  |
| D623,685 S *      | 9/2010  | Tsukuda et al.   | D18/53  |
| D625,756 S *      | 10/2010 | Penke et al.     | D18/53  |
| 2007/0253009 A1 * | 11/2007 | Horn et al.      | 358/1.9 |
| 2009/0043628 A1 * | 2/2009  | Gombert          | 705/8   |
| 2009/0290902 A1 * | 11/2009 | Amico et al.     | 399/107 |
| 2010/0059920 A1 * | 3/2010  | Kern et al.      | 271/2   |

\* cited by examiner

*Primary Examiner* — Jeffrey D Asch

(74) *Attorney, Agent, or Firm* — Tallam I. Nguti

(57) **CLAIM**

The ornamental design for a continuous feed printer, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a continuous feed printer in accordance with the present invention;

FIG. 2 is a front view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a rear view thereof;


FIG. 5 is a left side view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines shown throughout the figures that are immediately adjacent to the shaded areas, and define unshaded regions, represent the bounds of the claimed design, while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**








FIG. 1






FIG. 2






FIG. 3







FIG. 4





*FIG. 5*






FIG. 6






FIG. 7