



US00D650511S

(12) **United States Design Patent**
Hine et al.

(10) **Patent No.:** **US D650,511 S**

(45) **Date of Patent:** **** Dec. 13, 2011**

(54) **PATH LIGHT DEVICE**

(75) Inventors: **David J Hine**, Syracuse, NY (US); **Scott W Osiecki**, Skaneateles, NY (US)

(73) Assignee: **Eveready Battery Company, Inc.**, St. Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/388,290**

(22) Filed: **Mar. 28, 2011**

(51) **LOC (9) Cl.** **26-03**

(52) **U.S. Cl.** **D26/93**

(58) **Field of Classification Search** D26/1,
D26/24, 67, 93-94, 101, 104-110, 113, 118;
362/3, 153, 186, 217, 255, 257, 277, 317,
362/351, 353, 362, 363, 382, 431, 433, 458,
362/806

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D529,220	S	*	9/2006	Izardel	D26/93
D557,450	S	*	12/2007	Barbeau et al.	D26/104
D563,594	S	*	3/2008	Held	D26/93
D629,150	S	*	12/2010	Douloubakas	D26/93

* cited by examiner

Primary Examiner — Brian N Vinson

(74) *Attorney, Agent, or Firm* — Michael C. Pophal


(57) **CLAIM**

We claim the ornamental design for a path light device, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of the design.
FIG. 2 is a second perspective view of the design.
FIG. 3 is a front view of the design. The left side view, the right side view, and the rear view are mirror images of the front view.
FIG. 4 is a top view of the design; and,
FIG. 5 is a bottom view of the design.
Any broken line(s) shown are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5