



US00D650590S

(12) **United States Design Patent**
Carlson et al.

(10) **Patent No.:** **US D650,590 S**

(45) **Date of Patent:** **** *Dec. 20, 2011**

(54) **FRYER BRUSH**

(75) Inventors: **Brian Philip Carlson**, Lakeville, MN (US); **Ryan Chernik**, St. Paul, MN (US); **Michael Brown**, Madison, NC (US); **Katie Gaynor**, Oak Ridge, NC (US); **Carl Gaynor**, Oak Ridge, NC (US); **Amie Blanks**, Clemmons, NC (US); **Joe Plante**, Summerfield, NC (US)

(73) Assignee: **Ecolab USA Inc.**, St. Paul, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/357,894**

(22) Filed: **Mar. 18, 2010**

(51) **LOC (9) Cl.** **04-01**

(52) **U.S. Cl.** **D4/120; D4/132**

(58) **Field of Classification Search** D4/119, D4/120, 132, 134, 138; D32/42, 51, 52; 15/106, 143.1, 145, 159.1, 160, 164, 186, 15/187, 191.1-193

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,714	A *	2/1852	Adams	15/107
879,754	A *	2/1908	Featherstone	15/164
1,674,154	A	6/1928	Barchfeld	
4,360,940	A *	11/1982	Smith	15/160
D333,921	S *	3/1993	Vetter	D4/118
D400,328	S	10/1998	Zemel	
D414,342	S *	9/1999	Ancona et al.	D4/119
D417,550	S	12/1999	Lu	
6,023,810	A	2/2000	Gessert	
6,049,935	A	4/2000	Zemel	
6,216,306	B1	4/2001	Esterson et al.	
D441,960	S *	5/2001	Chen	D4/127

D445,257	S	7/2001	Hay	
6,463,620	B2	10/2002	Busha	
D466,307	S	12/2002	Cantrell	
D468,107	S	1/2003	Shen	
6,745,427	B1	6/2004	Trenz et al.	
D496,512	S	9/2004	Treacy	
6,845,539	B2 *	1/2005	Tubman	15/159.1
D501,971	S	2/2005	Treacy	
D502,323	S *	3/2005	Zemel	D4/120
7,059,008	B2	6/2006	Morgan et al.	
7,168,124	B2	1/2007	Dalias	
7,316,046	B2	1/2008	Michaels et al.	
D575,530	S *	8/2008	Libman et al.	D4/138

(Continued)

FOREIGN PATENT DOCUMENTS

AU 119688 S * 3/1994

(Continued)

Primary Examiner — Melanie H Tung

Assistant Examiner — Lavone D Tabor

(74) *Attorney, Agent, or Firm* — Merchant & Gould P.C.

(57) **CLAIM**

The ornamental design for a fryer brush, as shown and described.

DESCRIPTION

FIG. 1 is a left, front perspective view of a fryer brush showing our new design;

FIG. 2 is a right, front perspective view thereof;

FIG. 3 is a front elevation view thereof;

FIG. 4 is a rear elevation view thereof;


FIG. 5 is a left side elevation view thereof;

FIG. 6 is a right side elevation view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets



US D650,590 S

Page 2

U.S. PATENT DOCUMENTS

D601,350	S	5/2009	Wales
D602,697	S	10/2009	Chitayat et al.
7,827,648	B2	11/2010	Soller et al.
7,854,034	B2	12/2010	Welsh
D632,088	S	2/2011	Zemel
2006/0207042	A1	9/2006	Di Paolo
2007/0231054	A1	10/2007	Wales

2009/0188061 A1 7/2009 Cybulski et al.

FOREIGN PATENT DOCUMENTS

DE	29820992	U1	1/1999
WO	WO0143618		6/2001
WO	WO2010015532		2/2010

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8

