



US00D651060S

(12) **United States Design Patent**
Chervenak et al.

(10) **Patent No.:** **US D651,060 S**

(45) **Date of Patent:** **** Dec. 27, 2011**

(54) **LOCKING PLIERS JAW**

(75) Inventors: **Thomas M. Chervenak**, Stanley, NC
(US); **David P. Engvall**, Stanley, NC
(US); **Brett Lucus**, Huntersville, NC
(US)

(73) Assignee: **Irwin Industrial Tool Company**,
Huntersville, NC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/385,428**

(22) Filed: **Feb. 14, 2011**

Related U.S. Application Data

(62) Division of application No. 29/342,306, filed on Aug.
21, 2009, now Pat. No. Des. 635,427.

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/52**

(58) **Field of Classification Search** D8/4, 5,
D8/14, 22, 23, 51-56, 58-60, 105-107; 81/300,
81/302, 318, 415-424, 424.5, 426, 426.5,
81/427, 427.5

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|------|---------|------------------|----------|
| 2,733,624 | A * | 2/1956 | Dowidat | 81/380 |
| 3,894,451 | A * | 7/1975 | Putsch | 81/424.5 |
| D260,476 | S * | 9/1981 | Knaus | D8/55 |
| D398,497 | S * | 9/1998 | Gomas | D8/52 |
| D413,237 | S * | 8/1999 | Jansson et al. | D8/22 |
| D428,317 | S * | 7/2000 | Lin | D8/52 |
| D435,410 | S * | 12/2000 | Lin | D8/23 |
| D437,756 | S * | 2/2001 | Lin | D8/52 |
| 6,199,458 | B1 * | 3/2001 | Wrigley et al. | 81/319 |
| 6,199,459 | B1 * | 3/2001 | Azkona | 81/411 |
| D442,451 | S * | 5/2001 | Berg | D8/52 |
| D447,027 | S * | 8/2001 | Lin | D8/52 |
| 6,497,165 | B1 * | 12/2002 | Schulz et al. | 81/413 |
| D474,380 | S * | 5/2003 | Chartier et al. | D8/23 |
| 6,626,070 | B2 * | 9/2003 | Peperkorn et al. | 81/370 |
| 6,880,434 | B2 * | 4/2005 | Nouvel | 81/409 |
| 7,040,201 | B2 * | 5/2006 | Engvall et al. | 81/413 |

| | | | | |
|-----------|------|---------|-----------------|--------|
| 7,146,888 | B2 * | 12/2006 | Martinka | 81/407 |
| 7,222,558 | B2 * | 5/2007 | Schmitt et al. | 81/411 |
| D543,812 | S * | 6/2007 | Burry et al. | D8/52 |
| D564,848 | S * | 3/2008 | Salazar et al. | D8/23 |
| D571,172 | S * | 6/2008 | Yu | D8/22 |
| D588,890 | S * | 3/2009 | Picaza Ibarondo | D8/52 |
| D589,315 | S * | 3/2009 | Herrmann | D8/52 |

* cited by examiner

OTHER PUBLICATIONS

Chervenak, Thomas M., United States Patent and Trademark Office,
U.S. Appl. No. 29/342,306, Office Action, Aug. 16, 2010.

Primary Examiner — Cathron Brooks

Assistant Examiner — Deanna Fluegeman

(74) *Attorney, Agent, or Firm* — Dennis J. Williamson;
Moore & Van Allen, PLLC

(57) **CLAIM**

We claim the ornamental designs for a locking pliers jaw, as
shown and described.

DESCRIPTION

FIG. 1 is a right side view of an embodiment of our new
design for a locking pliers jaw, the left side view being iden-
tical;

FIG. 2 is a front view showing our new design shown in FIG.
1;

FIG. 3 is a back view showing our new design shown in FIG.
1;

FIG. 4 is a top view showing our new design shown in FIG. 1;

FIG. 5 is a bottom view showing our new design shown in
FIG. 1;

FIG. 6 is a perspective view showing our new design shown in
FIG. 1;

FIG. 7 is a right side view of a second embodiment of our new
design for a locking pliers jaw, the left side view being iden-
tical;

FIG. 8 is a front view showing our new design shown in FIG.
7;

FIG. 9 is a back view showing our new design shown in FIG.
7;

FIG. 10 is a top view showing our new design shown in
FIG. 7;




FIG. **11** is a bottom view showing our new design shown in FIG. **7**;

FIG. **12** is a perspective view showing our new design shown in FIG. **13**;

FIG. **13** is a right side view of a third embodiment of our new design for a locking pliers jaw, the left side view being identical;

FIG. **14** is a front view showing our new design shown in FIG. **13**;

FIG. **15** is a back view showing our new design shown in FIG. **13**;

FIG. **16** is a top view showing our new design shown in FIG. **13**;

FIG. **17** is a bottom view showing our new design shown in FIG. **13**;

FIG. **18** is a perspective view showing our new design shown in FIG. **13**;

FIG. **19** is a right side view of a fourth embodiment of our new design for a locking pliers jaw, the left side view being identical;

FIG. **20** is a front view showing our new design shown in FIG. **19**;

FIG. **21** is a back view showing our new design shown in FIG. **19**;

FIG. **22** is a top view showing our new design shown in FIG. **19**;

FIG. **23** is a bottom side view showing our new design shown in FIG. **19**; and,

FIG. **24** is a perspective view showing our new design shown in FIG. **19**.

The portions shown in broken lines are not part of the claimed design but show the environment in which the design is associated.

1 Claim, 12 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16



FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24