



US00D651164S

(12) **United States Design Patent**  
**Martin**

(10) **Patent No.:** **US D651,164 S**

(45) **Date of Patent:** **\*\* Dec. 27, 2011**

(54) **PNEUMATIC TIRE**

(56) **References Cited**

(75) Inventor: **Didier Michel Martin**, Chanat la Mouteyre (FR)

U.S. PATENT DOCUMENTS

D367,445 S *	2/1996	Attinello et al. ....	D12/588
D402,946 S *	12/1998	McKisson .....	D12/588
D416,833 S *	11/1999	Weber et al. ....	D12/588
D638,780 S *	5/2011	Nobunaga .....	D12/588
D642,974 S *	8/2011	Koshio .....	D12/600

(73) Assignees: **Societe de Technologie Michelin**, Clermont-Ferrand (FR); **Michelin Recherche et Technique S.A.**, Granges-Paccot (CH)

\* cited by examiner

*Primary Examiner* — Stacia Cadmus

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — Buchanan Ingersoll & Rooney PC

(21) Appl. No.: **29/366,040**

(57) **CLAIM**

The ornamental design for a pneumatic tire, as shown and described.

(22) Filed: **Jul. 19, 2010**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Jan. 18, 2010 (FR) ..... 10 0230

FIG. 1 is a perspective view of a pneumatic tire incorporating my new design, it being understood that the tread pattern repeats circumferentially throughout the outer circumference.

(51) **LOC (9) Cl.** ..... **12-15**

FIG. 2 is an elevational view of one end of the pneumatic tire shown in FIG. 1.

(52) **U.S. Cl.** ..... **D12/588**

FIG. 3 is an enlarged fragmentary front view of FIG. 2.

(58) **Field of Classification Search** ..... D12/568-603, D12/900-901, 551-556; 152/209.1-209.28, 152/455

FIG. 4 is an elevational view of one side of the pneumatic tire shown in FIG. 1, it being understood that the opposite side is of identical shape; and,

FIG. 5 is a sectional view, taken along the line 5-5 in FIG. 3.

See application file for complete search history.

**1 Claim, 4 Drawing Sheets**





FIG. 1






FIG. 2




FIG. 3






FIG. 4




FIG. 5

