



US00D651208S

(12) **United States Design Patent**
Pacyga et al.

(10) **Patent No.:** **US D651,208 S**
(45) **Date of Patent:** **** Dec. 27, 2011**

- (54) **WEARABLE CLIP**
- (75) Inventors: **James Pacyga**, Seattle, WA (US);
Gregory Janky, Sammamish, WA (US);
Russ Stromberg, Seattle, WA (US);
Treasure Hinds, Seattle, WA (US)
- (73) Assignee: **Iota, Inc.**, Seattle, WA (US)

6,828,756	B2 *	12/2004	Kinoshita	320/114
D566,537	S *	4/2008	Wen-Po	D8/395
D607,898	S *	1/2010	Lee	D14/496
D608,628	S *	1/2010	Knuuttila	D8/395
D624,539	S *	9/2010	Tsai	D14/356
D624,540	S *	9/2010	Tai	D14/356
D638,409	S *	5/2011	Walter	D14/240
D638,854	S *	5/2011	Andre et al.	D14/496
D639,707	S *	6/2011	Caskey et al.	D11/201
2006/0133052	A1 *	6/2006	Harmon et al.	361/752

(**) Term: **14 Years**

(21) Appl. No.: **29/376,651**

(22) Filed: **Oct. 8, 2010**

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/358; D14/240**

(58) **Field of Classification Search** D14/300-302,
D14/313, 314, 341, 348-370, 383, 385, 432,
D14/435, 436, 496, 125, 135, 137, 155, 167,
D14/168, 230, 231, 233, 235, 237, 240-242,
D14/299; D3/201, 273; D18/56; D10/65,
D10/75, 78; D13/103, 149, 162, 184, 199;
361/679.31, 679.33, 679.4, 752; 711/100,
711/115; D8/394, 395; D11/201, 215; D19/65

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,604,067	A *	9/1971	Brown	24/67 R
D274,796	S *	7/1984	Humble	D10/106.91
D343,383	S *	1/1994	Hall et al.	D13/133
D391,942	S *	3/1998	Lee	D14/341
D463,393	S *	9/2002	Kataoka	D14/167
D484,034	S *	12/2003	Smith-Kielland et al.	D8/394

OTHER PUBLICATIONS

Iota launches u blox enabled GSM Bluetooth hub for Android :
Electronics News from ElectronicSpecifier, p. 1 [online] posted Jan.
5, 2011 [retrieved on Aug. 5, 2011]. Retrieved from the Internet
<URL: <http://www.electronicsspecifier.com/Industry-News/Iota-launches-u-blox-enabled-GSM-Bluetooth-hub-for-Android.asp>>.*

* cited by examiner

Primary Examiner — Karen E Kearney


(57) **CLAIM**

We claim the ornamental design for a wearable clip, as shown
and described.

DESCRIPTION

FIG. 1 is an upper left front perspective view of a wearable
clip;
FIG. 2 is a front elevational view of a wearable clip;
FIG. 3 is a right side elevational view of a wearable clip;
FIG. 4 is a rear elevational view of a wearable clip;
FIG. 5 is a left side elevational view of a wearable clip;
FIG. 6 is a top plan view of a wearable clip; and,
FIG. 7 is a bottom plan view of a wearable clip.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 4




FIG. 5




FIG. 7