



US00D651208S

(12) **United States Design Patent**
Pacyga et al.

(10) **Patent No.:** **US D651,208 S**

(45) **Date of Patent:** **** Dec. 27, 2011**

(54) **WEARABLE CLIP**

(75) Inventors: **James Pacyga**, Seattle, WA (US);
Gregory Janky, Sammamish, WA (US);
Russ Stromberg, Seattle, WA (US);
Treasure Hinds, Seattle, WA (US)

(73) Assignee: **Iota, Inc.**, Seattle, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/376,651**

(22) Filed: **Oct. 8, 2010**

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/358; D14/240**

(58) **Field of Classification Search** D14/300-302,
D14/313, 314, 341, 348-370, 383, 385, 432,
D14/435, 436, 496, 125, 135, 137, 155, 167,
D14/168, 230, 231, 233, 235, 237, 240-242,
D14/299; D3/201, 273; D18/56; D10/65,
D10/75, 78; D13/103, 149, 162, 184, 199;
361/679.31, 679.33, 679.4, 752; 711/100,
711/115; D8/394, 395; D11/201, 215; D19/65

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,604,067 A * 9/1971 Brown 24/67 R
D274,796 S * 7/1984 Humble D10/106.91
D343,383 S * 1/1994 Hall et al. D13/133
D391,942 S * 3/1998 Lee D14/341
D463,393 S * 9/2002 Kataoka D14/167
D484,034 S * 12/2003 Smith-Kielland et al. D8/394

6,828,756 B2 * 12/2004 Kinoshita 320/114
D566,537 S * 4/2008 Wen-Po D8/395
D607,898 S * 1/2010 Lee D14/496
D608,628 S * 1/2010 Knuuttila D8/395
D624,539 S * 9/2010 Tsai D14/356
D624,540 S * 9/2010 Tai D14/356
D638,409 S * 5/2011 Walter D14/240
D638,854 S * 5/2011 Andre et al. D14/496
D639,707 S * 6/2011 Caskey et al. D11/201
2006/0133052 A1 * 6/2006 Harmon et al. 361/752

OTHER PUBLICATIONS

Iota launches u blox enabled GSM Bluetooth hub for Android :
Electronics News from ElectronicSpecifier, p. 1 [online] posted Jan.
5, 2011 [retrieved on Aug. 5, 2011]. Retrieved from the Internet
<URL: <http://www.electronicsspecifier.com/Industry-News/Iota-launches-u-blox-enabled-GSM-Bluetooth-hub-for-Android.asp>>.*

* cited by examiner

Primary Examiner — Karen E Kearney


(57) **CLAIM**

We claim the ornamental design for a wearable clip, as shown
and described.

DESCRIPTION

FIG. 1 is an upper left front perspective view of a wearable
clip;
FIG. 2 is a front elevational view of a wearable clip;
FIG. 3 is a right side elevational view of a wearable clip;
FIG. 4 is a rear elevational view of a wearable clip;
FIG. 5 is a left side elevational view of a wearable clip;
FIG. 6 is a top plan view of a wearable clip; and,
FIG. 7 is a bottom plan view of a wearable clip.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 4




FIG. 5




FIG. 7