



US00D651282S

(12) **United States Design Patent**
Bonzer

(10) **Patent No.:** **US D651,282 S**

(45) **Date of Patent:** **** Dec. 27, 2011**

(54) **WAND WITH SINGLE NOZZLE AND SOAP RESERVOIR**

(76) Inventor: **Robert L. Bonzer**, Boise, ID (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/367,569**

(22) Filed: **Aug. 10, 2010**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/345,139, filed on Nov. 2, 2009, now Pat. No. Des. 625,573.

(51) **LOC (9) Cl.** **23-01**

(52) **U.S. Cl.** **D23/223; D23/225**

(58) **Field of Classification Search** D23/213,
D23/223, 226, 225; 239/525-527, 532, 316,
239/317

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

576,756	A	2/1897	Cole	
1,463,084	A	7/1923	McCormack	
1,884,485	A *	10/1932	Yost	239/562
2,274,817	A	3/1942	Zimmer	
2,314,525	A	3/1943	Edwin	
2,793,902	A	5/1957	Govan, Jr.	
3,338,607	A	8/1967	Broadhurst	
3,380,097	A	4/1968	Pharris	
3,447,753	A *	6/1969	Proctor et al.	239/317
3,466,078	A	9/1969	Sholund	
3,682,516	A	8/1972	Savage	
3,727,841	A	4/1973	Hengesbach	
3,915,382	A	10/1975	Davis	
4,197,764	A	4/1980	Auernhammer	
D262,259	S	12/1981	Terpening	
4,325,157	A	4/1982	Balint	
D270,368	S *	8/1983	Grime	D23/225
4,524,484	A	6/1985	Graham	
D285,244	S *	8/1986	Clivio et al.	D23/225
4,663,796	A	5/1987	Helling	
D300,404	S	3/1989	Lauer	

4,905,548	A	3/1990	Colace	
D310,405	S	9/1990	Proctor	
D314,649	S *	2/1991	Campbell et al.	D32/17
5,109,737	A	5/1992	Raber	
5,161,278	A	11/1992	Tomm	
D346,647	S *	5/1994	Arnette et al.	D23/225
D351,015	S	9/1994	Caceres	
D355,830	S	2/1995	Pecora	
D361,927	S	9/1995	Chuen-Hong	
D379,656	S	6/1997	Reynolds	
D387,126	S *	12/1997	Hayden	D23/213
D388,669	S	1/1998	Haver	
5,944,263	A *	8/1999	Lucco et al.	239/587.1
5,983,455	A	11/1999	Polzin	

(Continued)

Primary Examiner — Robin V Webster

(74) *Attorney, Agent, or Firm* — Frank J. Dykas; Dykas & Shaver LLP

(57) **CLAIM**

The ornamental design for a wand with single nozzle and soap reservoir, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective representational view of the wand with single nozzle and soap reservoir;

FIG. 2 is a second perspective representational view of the wand with single nozzle and soap reservoir;

FIG. 3 is a first side view of the wand with single nozzle and soap reservoir;

FIG. 4 is a top view of the wand with single nozzle and soap reservoir;


FIG. 5 is a second side view of the wand with single nozzle and soap reservoir;

FIG. 6 is a bottom view of the wand with single nozzle and soap reservoir;

FIG. 7 is a first end view of the wand with single nozzle and soap reservoir; and,

FIG. 8 is a second end view of the wand with single nozzle and soap reservoir.

1 Claim, 3 Drawing Sheets



US D651,282 S

Page 2

U.S. PATENT DOCUMENTS							
D421,379	S	3/2000	Sanford	D499,790	S *	12/2004	Chen D23/223
6,045,288	A	4/2000	Pasternak	6,913,211	B2	7/2005	Chen
6,216,965	B1	4/2001	Chao	D518,350	S	4/2006	Hay
6,453,777	B1	9/2002	Newman	D519,820	S	5/2006	Newman
6,619,570	B1	9/2003	Ericksen	7,083,125	B2	8/2006	Westphal
6,698,372	B2	3/2004	Hobdy	7,237,305	B2	7/2007	Newman
D498,288	S *	11/2004	Chen D23/223	D573,691	S *	7/2008	Busschaert et al. D23/226
							* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8