



US00D651768S

(12) **United States Design Patent**
Bogdahn

(10) **Patent No.:** **US D651,768 S**
(45) **Date of Patent:** **** Jan. 3, 2012**

(54) **RETRACTABLE ANIMAL LEASH**

(75) Inventor: **Manfred Bogdahn**, Hamburg (DE)

(73) Assignee: **Flexi-Bogdahn Technik GmbH & Co. KG**, Bargteheide (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/388,190**

(22) Filed: **Mar. 25, 2011**

(30) **Foreign Application Priority Data**

Oct. 11, 2010 (EM) 001239313

(51) **LOC (9) Cl.** **30-04**

(52) **U.S. Cl.** **D30/153**

(58) **Field of Classification Search** D30/151-154;
119/792-798, 758, 760, 769, 770, 712, 784,
119/802, 856, 857, 863, 865, 858; 54/71;
30/39; 242/397, 615.3, 382, 384.7, 396.1,
242/385, 385.2, 385.4, 381.5, 381.6; D26/38;
254/134.3 FT; D8/358, 359; 473/576

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D235,026 S 4/1975 Bogdahn
5,483,926 A 1/1996 Bogdahn
D392,429 S 3/1998 Plewa et al.
6,148,773 A 11/2000 Bogdahn
D439,302 S 3/2001 Plewa
D519,246 S 4/2006 Plewa
7,168,393 B2 1/2007 Bogdahn et al.
D573,314 S 7/2008 Plewa
D610,752 S 2/2010 Roediger

7,866,282 B2 * 1/2011 Simpson et al. 119/781
D632,852 S * 2/2011 Kaneko D30/153
D638,998 S * 5/2011 Kaneko D30/153
D638,999 S * 5/2011 Kaneko D30/153
D642,748 S * 8/2011 Merlin D30/153
2003/0183176 A1 * 10/2003 Morrison 119/796
2004/0237906 A1 * 12/2004 Waxman et al. 119/796
2008/0011895 A1 1/2008 Bleshoy
2008/0230015 A1 9/2008 Bleshoy
2008/0276882 A1 11/2008 Bogdahn
2009/0114759 A1 5/2009 Bogdahn

* cited by examiner

Primary Examiner — Susan Moon Lee

(74) *Attorney, Agent, or Firm* — Howson & Howson LLP

(57) **CLAIM**

The ornamental design for a retractable animal leash, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a retractable animal leash according to my new design;

FIG. 2 is a front elevational view of the retractable animal leash of FIG. 1;

FIG. 3 is a rear elevational view of the retractable animal leash of FIG. 1;


FIG. 4 is a top plan view of the retractable animal leash of FIG. 1;

FIG. 5 is a bottom view of the retractable animal leash of FIG. 1;

FIG. 6 is a left side elevational view of the retractable animal leash of FIG. 1; and,

FIG. 7 is a right side elevational view of the retractable animal leash of FIG. 1.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3

FIG. 4





FIG. 5




FIG. 6




FIG. 7