



US00D652266S

(12) **United States Design Patent**
Smyers

(10) **Patent No.:** **US D652,266 S**
(45) **Date of Patent:** **** Jan. 17, 2012**

(54) **CONTAINER**

(75) Inventor: **Justin Smyers**, Newport Beach, CA (US)

(73) Assignee: **Snapware Corporation**, Mira Loma, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/384,333**

(22) Filed: **Jan. 29, 2011**

Related U.S. Application Data

(62) Division of application No. 29/358,095, filed on Mar. 22, 2010, now Pat. No. Des. 631,708.

(51) **LOC (9) Cl.** **07-01**

(52) **U.S. Cl.** **D7/630; D9/428; D9/500**

(58) **Field of Classification Search** D9/500, D9/502-503, 505, 516, 530, 537, 539, 549, D9/558, 574-575, 414, 424, 425-426, 428; D7/500, 538, 542-543, 545, 584, 586-587, D7/601-603, 612, 615, 629-630; D11/143, D11/152-153; D26/6, 9; 215/379, 381-382; 220/660, 669-670, 672, 675

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,828,789	A *	4/1958	Geisler et al.	220/783
3,128,029	A *	4/1964	Price et al.	229/400
3,754,699	A *	8/1973	Moore	229/400
3,967,731	A *	7/1976	Boduch	206/508
D241,228	S *	8/1976	Boduch	D9/428
D250,397	S *	11/1978	Christian	D9/778
D263,203	S *	3/1982	Haag, Sr.	D9/778
D279,353	S *	6/1985	Fortuna	D9/500

D280,075	S *	8/1985	Haag, Sr.	D9/778
D280,076	S *	8/1985	Haag, Sr.	D9/778
D280,600	S *	9/1985	Earl	D9/503
D397,586	S *	9/1998	Bowers	D7/615
D409,945	S *	5/1999	Hensen	D11/152
D453,094	S *	1/2002	Maggard et al.	D7/584
D474,110	S *	5/2003	Sweeney	D9/428
D598,238	S *	8/2009	Durdon et al.	D7/354
D606,363	S *	12/2009	Aardenburg	D7/400
D625,149	S *	10/2010	Stamper	D7/538
D631,708	S *	2/2011	Smyers	D7/629

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Dana L Sipos

(74) *Attorney, Agent, or Firm* — Larry K. Roberts



(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of an embodiment of the design; FIG. 2 is a top view of the embodiment of FIG. 1; FIG. 3 is a bottom view of the embodiment of FIG. 1; FIG. 4 is a front elevation view of the embodiment of FIG. 1, the left, right and back elevation views of the embodiment of FIG. 1 being identical to the front view of FIG. 4; FIG. 5 is an isometric view of another embodiment of the design; FIG. 6 is a top view of the embodiment of FIG. 5; FIG. 7 is a bottom view of the embodiment of FIG. 5; and, FIG. 8 is a front elevation view of the embodiment of FIG. 5, the left, right and back elevation views of the embodiment of FIG. 5 being identical to the front view of FIG. 8. The stippling in the FIGS. 7 and 8 drawing views in the drawings represents a contrasting surface.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8