

US00D652368S

(12) **United States Design Patent**  
**Buchinger-Barnstorf**

(10) **Patent No.:** **US D652,368 S**  
(45) **Date of Patent:** **\*\* Jan. 17, 2012**

(54) **TIRE TREAD FOR A VEHICLE TIRE**

(75) Inventor: **Thomas Buchinger-Barnstorf**,  
Wennigsen (DE)  
(73) Assignee: **Continental Reifen Duetschland**  
**GmbH**, Hanover (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/356,258**

(22) Filed: **Feb. 23, 2010**

(30) **Foreign Application Priority Data**

Oct. 19, 2009 (EM) ..... 001625518

(51) **LOC (9) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/582; D12/900**

(58) **Field of Classification Search** ..... D12/500,  
D12/502, 568, 570, 572, 582-585, 604, 900,  
D12/901; 152/209.1, 209.3, 209.18, 209.19,  
152/209.22, 209.25, 209.27, 209.28

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|               |         |                 |       |         |
|---------------|---------|-----------------|-------|---------|
| D63,048 S *   | 9/1923  | Comstock et al. | ..... | D12/502 |
| D116,310 S *  | 8/1939  | Murphy          | ..... | D12/502 |
| 3,299,934 A * | 1/1967  | Pace            | ..... | 152/501 |
| 3,606,921 A * | 9/1971  | Grawey          | ..... | 152/453 |
| D388,030 S *  | 12/1997 | Schuster        | ..... | D12/586 |
| D429,480 S *  | 8/2000  | Bonko           | ..... | D12/500 |
| D610,967 S *  | 3/2010  | Ohara et al.    | ..... | D12/579 |
| D635,915 S *  | 4/2011  | Hamada          | ..... | D12/588 |

**OTHER PUBLICATIONS**

Dunlop SP181A Tire; 2005 Tread Design Guide, p. 109, Row 2, Item 2.\*

Primex Utility Master (E-7) Tire; 2005 Tread Design Guide, p. 163, Row 1, Item 5.\*

Astro Implement (I-1) Tire; 2005 Tread Design Guide, p. 171, Row 4, Item 3.\*

CO-OP High Flotation Tire; 2005 Tread Design Guide, p. 174, Row 1, Item 3.\*

\* cited by examiner

*Primary Examiner* — Garth Rademaker

(74) *Attorney, Agent, or Firm* — Laurence A. Greenberg;  
Werner H. Stemer; Ralph E. Locher

(57) **CLAIM**

The ornamental design for a tire tread for a vehicle tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a tire tread for a vehicle tire, showing my new design;


FIG. 2 is an enlarged partial front view thereof;

FIG. 3 is a side perspective view thereof; and,

FIG. 4 is a right side elevational view thereof.

The vehicle tire pattern is repeated uniformly around the circumference of the structure. The dash-dot lines showing the boundaries of the illustrated detail and the broken lines depicting the sidewall of the tire do not form part of the claim.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4