



US00D652437S

(12) **United States Design Patent**
Furujo et al.

(10) **Patent No.:** **US D652,437 S**

(45) **Date of Patent:** **** Jan. 17, 2012**

(54) **PLASMA TORCH BODY**

(75) Inventors: **Akira Furujo**, Tokyo (JP); **Masatoshi Motoyama**, Tokyo (JP); **Ryuta Hirai**, Tokyo (JP); **Kazuya Kashimata**, Isezaki (JP); **Tetsuo Koike**, Tokyo (JP)

(73) Assignee: **Koike Sanso Kogyo Co., Ltd.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/375,810**

(22) Filed: **Sep. 28, 2010**

(51) **LOC (9) Cl.** **15-09**

(52) **U.S. Cl.** **D15/144**

(58) **Field of Classification Search** D8/70,
D8/71; D15/144-144.2; 219/121.4-121.5,
219/121.52, 121.57

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|--------------|----|---|---------|------------------|-------|------------|
| D369,648 | S | * | 5/1996 | Fowler | | D23/213 |
| 5,747,767 | A | * | 5/1998 | Severance et al. | | 219/121.5 |
| 5,856,647 | A | * | 1/1999 | Luo | | 219/121.5 |
| D446,231 | S | * | 8/2001 | Kuraoka et al. | | D15/144 |
| D517,577 | S | * | 3/2006 | Conway et al. | | D15/144 |
| D527,401 | S | * | 8/2006 | Mizuno et al. | | D15/144 |
| D535,673 | S | * | 1/2007 | Conway et al. | | D15/144 |
| D535,674 | S | * | 1/2007 | Conway et al. | | D15/144 |
| 7,161,111 | B2 | * | 1/2007 | Schneider | | 219/121.4 |
| D582,950 | S | * | 12/2008 | Yamaguchi et al. | | D15/144 |
| D582,952 | S | * | 12/2008 | Yamaguchi et al. | | D15/144 |
| 2002/0162826 | A1 | * | 11/2002 | Eickhoff et al. | | 219/121.39 |
| 2005/0000948 | A1 | * | 1/2005 | Brasseur et al. | | 219/121.5 |
| 2005/0082263 | A1 | * | 4/2005 | Koike et al. | | 219/121.49 |
| 2007/0145022 | A1 | * | 6/2007 | Hewett et al. | | 219/121.48 |
| 2008/0251503 | A1 | * | 10/2008 | Noujaim | | 219/121.47 |

| | | | | | | |
|--------------|----|---|---------|-------------------|-------|------------|
| 2009/0057277 | A1 | * | 3/2009 | Renault et al. | | 219/121.5 |
| 2009/0230095 | A1 | * | 9/2009 | Liebold et al. | | 219/121.5 |
| 2009/0314202 | A1 | * | 12/2009 | Zajchowski et al. | | 118/620 |
| 2010/0018954 | A1 | * | 1/2010 | Hussary et al. | | 219/121.44 |
| 2010/0206853 | A1 | * | 8/2010 | Hussary et al. | | 219/121.5 |
| 2010/0237050 | A1 | * | 9/2010 | Zehavi | | 219/121.47 |
| 2010/0264120 | A1 | * | 10/2010 | Reinke et al. | | 219/121.5 |

* cited by examiner

Primary Examiner — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Townsend & Banta

(57) **CLAIM**

The ornamental design for a plasma torch body, as shown and described.

DESCRIPTION

FIG. 1 is a side view of a plasma torch body showing our design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a cross-sectional view thereof, taken along line 4-4 shown in FIG. 3;

FIG. 5 is a cross-sectional view thereof, taken along line 5-5 shown in FIG. 3;


FIG. 6 is a perspective view of a plasma torch body showing our design; and,

FIG. 7 is an exploded view of a plasma torch, including an inner cap, inner nozzle, outer nozzle, and electrode therefor, shown in broken lines and the plasma torch body illustrating the position of the claimed plasma torch body relative to the inner cap, inner nozzle, outer nozzle and electrode.

In particular, the claimed article is a body of a plasma torch used for high temperature cutting applications, such as the cutting of metal.

The broken lines in the drawings depict unclaimed environmental subject matter.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7