



US00D652674S

(12) **United States Design Patent**
Bertucci et al.

(10) **Patent No.:** **US D652,674 S**
(45) **Date of Patent:** **** Jan. 24, 2012**

(54) **MULTI-STATION LIQUID DISPENSING APPARATUS**

5,452,825 A 9/1995 Comstock et al.
D367,659 S 3/1996 Baker et al.
5,522,419 A 6/1996 Sand

(Continued)

(75) Inventors: **Michael H. Bertucci**, Gurnee, IL (US);
Curtis H. Hubmann, Racine, WI (US);
Christopher F. Lang, Racine, WI (US);
Steven E. Schiller, Kenosha, WI (US)

FOREIGN PATENT DOCUMENTS

DE 19736982 8/1998

(Continued)

(73) Assignee: **Diversey, Inc.**, Sturtevant, WI (US)

OTHER PUBLICATIONS

(**) Term: **14 Years**

Four panel brochure entitled "Innovative Dilution Control Systems" dated 2000, showing the Select Dispensing Unit and the Quattro Solutions Center.

(21) Appl. No.: **29/394,672**

(22) Filed: **Jun. 20, 2011**

Primary Examiner — Marianne Pandozzi

(74) *Attorney, Agent, or Firm* — Gregory S. Bollis

Related U.S. Application Data

(63) Continuation of application No. 12/397,110, filed on Mar. 3, 2009, now Pat. No. 7,963,304, which is a continuation of application No. 11/203,315, filed on Aug. 12, 2005, now Pat. No. 7,516,763.

(57) **CLAIM**

The ornamental design for a multi-station liquid dispensing apparatus, as shown and described.

(51) **LOC (9) Cl.** **07-99**

(52) **U.S. Cl.** **D7/397; D7/306**

(58) **Field of Classification Search** D7/300,
D7/305-308, 311, 397; D15/79; D32/1;
141/104, 103; 222/146.6, 146.5, 129.1; 99/290
See application file for complete search history.

DESCRIPTION

FIG. 1 is a perspective view of a multi-station liquid dispensing apparatus embodying the invention.

FIG. 2 is a front view of the multi-station liquid dispensing apparatus shown in FIG. 1.

FIG. 3 is a left side view of the multi-station liquid dispensing apparatus shown in FIG. 1.

FIG. 4 is a right side view of the multi-station liquid dispensing apparatus shown in FIG. 1.

FIG. 5 is a top view of the multi-station liquid dispensing apparatus shown in FIG. 1; and,

FIG. 6 is a bottom view of the multi-station liquid dispensing apparatus shown in FIG. 1.


The elements shown in broken lines are included for the purpose of illustrating environment and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,881,802 A 4/1959 Crawford
3,618,637 A 11/1971 Santomieri
D235,388 S 6/1975 Taylor
5,159,958 A 11/1992 Sand
5,253,677 A 10/1993 Sand
5,259,557 A 11/1993 Spriggs et al.
5,344,074 A 9/1994 Spriggs et al.
5,351,875 A 10/1994 Rhine et al.
5,377,718 A 1/1995 Sand

1 Claim, 4 Drawing Sheets



US D652,674 S

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|-----------------------|--------|
| 5,570,816 | A | 11/1996 | LeBarbera, Jr. | |
| 5,653,261 | A | 8/1997 | Dalhart et al. | |
| D385,746 | S | 11/1997 | Fritz | |
| 5,799,831 | A | 9/1998 | Spriggs et al. | |
| 5,832,972 | A | 11/1998 | Thomas et al. | |
| 5,862,829 | A | 1/1999 | Sand | |
| D408,207 | S * | 4/1999 | Bourke | D7/306 |
| 5,902,041 | A | 5/1999 | Parsons et al. | |
| 5,927,338 | A | 7/1999 | Boticki et al. | |
| 5,957,152 | A | 9/1999 | Dalhart | |
| 6,095,372 | A | 8/2000 | Dorsey et al. | |
| 6,238,081 | B1 | 5/2001 | Sand | |
| 6,279,598 | B1 | 8/2001 | Boticki et al. | |
| 6,299,035 | B1 | 10/2001 | Dalhart | |
| 6,322,242 | B1 | 11/2001 | Lang et al. | |
| 6,363,977 | B1 | 4/2002 | Smeller et al. | |
| 6,412,527 | B1 | 7/2002 | Brice | |
| 6,439,272 | B1 | 8/2002 | Wertheim | |
| 6,499,872 | B2 | 12/2002 | Sand | |
| 6,588,466 | B1 | 7/2003 | Lohr | |
| 6,619,318 | B2 | 9/2003 | Dalhart et al. | |
| 6,634,376 | B2 | 10/2003 | Haas | |
| 6,655,401 | B2 | 12/2003 | Sand et al. | |
| D498,637 | S * | 11/2004 | Heilstedt et al. | D7/306 |

| | | | | |
|--------------|-----|---------|---------------------|--------|
| D499,599 | S | 12/2004 | Morrison | |
| D523,878 | S * | 6/2006 | Quinlan et al. | D15/89 |
| D544,287 | S * | 6/2007 | Joss et al. | D7/306 |
| D555,413 | S * | 11/2007 | Lin | D7/309 |
| D555,415 | S * | 11/2007 | Lin | D7/309 |
| D571,598 | S * | 6/2008 | Moore | D7/306 |
| D589,738 | S * | 4/2009 | Michler | D7/309 |
| D589,988 | S * | 4/2009 | Martin et al. | D15/89 |
| D608,129 | S * | 1/2010 | Spear et al. | D7/306 |
| D619,151 | S * | 7/2010 | Tsuji | D15/79 |
| D620,302 | S * | 7/2010 | Picozza et al. | D7/309 |
| 2003/0056841 | A1 | 3/2003 | Dalhart et al. | |
| 2004/0065673 | A1 | 4/2004 | Hansen | |
| 2004/0094226 | A1 | 5/2004 | Wertheim | |
| 2004/0163720 | A1 | 8/2004 | Joung | |
| 2005/0150572 | A1 | 7/2005 | Beldham et al. | |
| 2006/0174778 | A1 | 8/2006 | Greiwe | |
| 2006/0174779 | A1 | 8/2006 | Ng | |
| 2007/0028980 | A1 | 2/2007 | Lohr et al. | |

FOREIGN PATENT DOCUMENTS

| | | |
|----|---------|---------|
| EP | 0068906 | 1/1983 |
| FR | 2130157 | 11/1972 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6