



US00D652710S

(12) **United States Design Patent**
Yokota et al.

(10) **Patent No.:** **US D652,710 S**
(45) **Date of Patent:** **** Jan. 24, 2012**

(54) **CORD ADJUSTER**

(75) Inventors: **Koji Yokota**, Osaka (JP); **Yumiko Kadoishi**, Yokohamashi (JP)

(73) Assignees: **Morito Co., Ltd.**, Osaka (JP); **NIFCO Inc.**, Kanagawa (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/371,560**

(22) Filed: **Apr. 25, 2011**

(30) **Foreign Application Priority Data**

Oct. 25, 2010 (JP) 2010-025593

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Classification Search** D8/356,
D8/354, 349, 330, 331, 383, 382, 367; 439/501;
70/421, 371, 369, 208; D22/108; D11/216;
248/74.1-74.4, 68.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D21,870	S	*	9/1892	Tucker	D8/367
D25,548	S	*	5/1896	Hayden	D8/365
D31,995	S	*	12/1899	Alker	D8/370
2,018,836	A	*	10/1935	Clemence	362/396
D99,881	S	*	6/1936	Miller	D8/499
2,064,133	A	*	12/1936	Von Schroeder	248/214
D212,740	S	*	11/1968	Serle	D8/367
3,488,025	A	*	1/1970	Rowland	248/339
3,630,475	A	*	12/1971	Barry	248/215

D244,910	S	*	7/1977	Chasen et al.	D8/367
D262,183	S	*	12/1981	Brown et al.	D8/16
5,174,536	A	*	12/1992	Pelletier et al.	248/339
6,270,048	B1	*	8/2001	Carlson	248/339
D494,055	S	*	8/2004	Jones et al.	D8/395
6,802,480	B1	*	10/2004	Martello	248/63
D524,636	S	*	7/2006	Burnett	D8/370
D584,132	S	*	1/2009	Judd	D8/356
7,475,859	B2	*	1/2009	Selders	248/304
D587,105	S	*	2/2009	Chang	D8/383
D604,591	S	*	11/2009	Snell	D8/367
D608,623	S	*	1/2010	Snell	D8/367
D616,431	S	*	5/2010	Hijmans	D14/253
D618,692	S	*	6/2010	Deutsch et al.	D14/447
D631,333	S	*	1/2011	Bauer et al.	D8/367

* cited by examiner

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Manabu Kanesaka

(57) **CLAIM**

The ornamental design for a cord adjuster, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a cord adjuster showing our new design, the bottom view being a mirror image;

FIG. 2 is a front view thereof, a rear view being identical to the right side view;

FIG. 3 is a right side view thereof, a left side view being identical to the right side view;

FIG. 4 is a cross-sectional view thereof taken along line 4-4 in FIG. 2; and,

FIG. 5 is a cross-sectional view thereof taken along line 5-5 in FIG. 1.

1 Claim, 2 Drawing Sheets





Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5

