



US00D652717S

(12) **United States Design Patent**
Shimoyama et al.

(10) **Patent No.:** **US D652,717 S**
(45) **Date of Patent:** **** Jan. 24, 2012**

(54) **PACKAGING BOX**

(75) Inventors: **Masaaki Shimoyama**, Nagoya (JP);
Tatsuo Hasegawa, Nagoya (JP); **Akio Takagi**, Nagoya (JP)

(73) Assignee: **Dynapac Co., Ltd**, Nogaya-shi,
Aichi-ken (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/352,501**

(22) Filed: **Dec. 22, 2009**

Related U.S. Application Data

(63) Continuation of application No. PCT/JP09/64736,
filed on Aug. 24, 2009.

(51) **LOC (9) Cl.** **09-03**

(52) **U.S. Cl.** **D9/432; D9/433**

(58) **Field of Classification Search** D9/430-433,
D9/414, 418, 420-423; D24/155; 206/278,
206/297, 299, 457, 770, 737, 822; 229/100,
229/101, 101.3, 106, 108, 108.1, 116.1, 116.3,
229/116.5, 121, 122, 201, 213, 221, 222,
229/227, 922, 939, 942, 87.08, 101.2, 193,
229/195, 197

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|-----------------|------------|
| 1,420,000 | A * | 6/1922 | Wagner | 229/146 |
| 1,559,237 | A * | 10/1925 | Fox | 229/117.04 |
| 1,731,414 | A * | 10/1929 | Grossman | 229/117.15 |
| 1,745,770 | A * | 2/1930 | Shapiro | 229/117.13 |
| 1,940,183 | A * | 12/1933 | Petersen | 229/117.16 |
| 2,089,831 | A * | 8/1937 | Henriksen | 229/117.07 |
| 2,090,780 | A * | 8/1937 | Bonville | 229/199 |
| 2,162,235 | A * | 6/1939 | Vaughn | 229/117.19 |
| 2,197,152 | A * | 4/1940 | Mason | 229/145 |
| 2,551,324 | A * | 5/1951 | Frieders et al. | 229/145 |
| 2,765,973 | A * | 10/1956 | Goldstein | 229/125 |
| 2,795,368 | A * | 6/1957 | Caster et al. | 229/117.12 |
| 2,852,177 | A * | 9/1958 | Frasch | 229/120.32 |
| 2,957,617 | A * | 10/1960 | Bolding | 229/117.04 |

| | | | | |
|-----------|-----|---------|---------------|------------|
| 3,478,949 | A * | 11/1969 | Richgels | 229/117.07 |
| 3,658,237 | A * | 4/1972 | Engel | 229/117.04 |
| D249,872 | S * | 10/1978 | Booth | D9/433 |
| 4,452,367 | A * | 6/1984 | Wein | 229/101 |
| 4,712,726 | A * | 12/1987 | Fonas | 229/116.5 |
| 4,795,085 | A * | 1/1989 | Wein | 229/117.03 |
| D585,737 | S * | 2/2009 | Double et al. | D9/432 |

FOREIGN PATENT DOCUMENTS

| | | | |
|----|-------------|---|---------|
| EM | 582671-0002 | * | 8/2006 |
| JP | 57-21523 | U | 2/1982 |
| JP | 2003072845 | A | 3/2003 |
| JP | 2004018095 | A | 1/2004 |
| JP | 2006273357 | A | 10/2006 |
| JP | 2009102053 | A | 5/2009 |

* cited by examiner

Primary Examiner — Karen S Acker

(74) *Attorney, Agent, or Firm* — Steven J. Hulquist; Hulquist IP

(57) **CLAIM**

The ornamental design for a packaging box, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a packaging box showing our new design, with the packaging box in a first, closed state;

FIG. 2 is a front elevation view of the packaging box of FIG. 1 in the closed state;

FIG. 3 is a rear elevation view of the packaging box of FIGS. 1-2 in the closed state;

FIG. 4 is a top plan view of the packaging box of FIGS. 1-3 in the closed state;

FIG. 5 is a bottom plan view of the packaging box of FIGS. 1-4 in the closed state;

FIG. 6 is a right side elevation view of the packaging box of FIGS. 1-5 in the closed state, with the left side elevation view of the packaging box of FIGS. 1-5 being a mirror image of the right side elevation view thereof;

FIG. 7 is a perspective view of the packaging box of FIGS. 1-6 in a second, open top state with a top end of the packaging box being open;




FIG. 8 is a perspective view of the packaging box of FIGS. 1-7 in a third, open face state with a front face of the packaging box being fully open, with a rear panel of the packaging box being disposed vertically, and with an open front panel of the packaging box disposed coplanar with a bottom panel of the packaging box;

FIG. 9 is a perspective view of the packaging box of FIGS. 1-8 in a fourth, partially open face state with a front face of the packaging box being partially open, with a rear panel of the packaging box being disposed vertically, with a rear panel of the packaging box being disposed vertically, and with a partially open front panel of the packaging box disposed non-coplanar with a bottom panel of the packaging box;

FIG. 10 is a perspective view of the packaging box of FIGS. 1-9 in a fifth, flattened state, prior to assembly into a three-dimensional state;

FIG. 11 is a perspective view of the packaging box of FIGS. 1-10 in a sixth, partially assembled state, with neither the front face nor the rear face being disposed vertically;

FIG. 12 is a perspective view of a second embodiment of a packaging box showing our new design, with the packaging box in a first, closed state;

FIG. 13 is a front elevation view of the packaging box of FIG. 12 in the closed state;

FIG. 14 is a rear elevation view of the packaging box of FIGS. 12-13 in the closed state;

FIG. 15 is a top plan view of the packaging box of FIGS. 12-14 in the closed state;

FIG. 16 is a bottom plan view of the packaging box of FIGS. 12-15 in the closed state;

FIG. 17 is a right side elevation view of the packaging box of FIGS. 12-16 in the closed state, with the left side elevation view of the packaging box of FIGS. 12-16 being a mirror image of the right side elevation view thereof;

FIG. 18 is a perspective view of the packaging box of FIGS. 12-17 in a second, open top state with a top end of the packaging box being open;

FIG. 19 is a perspective view of the packaging box of FIGS. 12-18 in a third, open face state with a front face of the packaging box being fully open, with a rear panel of the packaging box being disposed vertically, and with an open front panel of the packaging box disposed coplanar with a bottom panel of the packaging box; and

FIG. 20 is a perspective view of the packaging box of FIGS. 12-19 in a fourth, partially open face state with a front face of the packaging box being partially open, with a rear panel of the packaging box being disposed vertically, with a rear panel of the packaging box being disposed vertically, and with a partially open front panel of the packaging box disposed non-coplanar with a bottom panel of the packaging box;

FIG. 21 is a perspective view of the packaging box of FIGS. 12-20 in a fifth, flattened state, prior to assembly into a three-dimensional state; and,

FIG. 22 is a perspective view of the packaging box of FIGS. 12-21 in a sixth, partially assembled state, with neither the front face nor the rear face being disposed vertically.

All features shown in broken lines are not part of the design sought to be patented.

1 Claim, 16 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22