



US00D652837S

(12) **United States Design Patent**
Kawasaki

(10) **Patent No.:** **US D652,837 S**
(45) **Date of Patent:** **** Jan. 24, 2012**

(54) **TOUCH SENSOR TYPE KEYBOARD FOR COMPUTER**

FOREIGN PATENT DOCUMENTS

JP S-D1391918 7/2010

* cited by examiner

(75) Inventor: **Kazuo Kawasaki**, Kitasaku-gun (JP)

Primary Examiner — Freda S Nunn

(73) Assignee: **Minebea Co., Ltd.**, Nagano (JP)

(74) *Attorney, Agent, or Firm* — Oliff & Berridge, PLC

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/389,535**

The ornamental design for a touch sensor type keyboard for computer, as shown and described.

(22) Filed: **Apr. 13, 2011**

(51) **LOC (9) Cl.** **14-02**

DESCRIPTION

(52) **U.S. Cl.** **D14/455**

(58) **Field of Classification Search** D14/240,
D14/391-399, 443, 455, 456; D18/1, 2,
D18/7, 11; 178/17 A, 17 C; 200/5 A, 5 R,
200/6 A, 6 R; 235/145 A, 145 R; 341/20-23;
345/156, 160, 168, 169, 173, 700; 361/679.08,
361/679.09; 400/484-489, 492, 472
See application file for complete search history.

FIG. 1 is a top plan view of a touch sensor type keyboard for computer;
FIG. 2 is a front view thereof;
FIG. 3 is a right-side view thereof;
FIG. 4 is a left-side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a front view thereof with the feet extended;
FIG. 8 is a left-side view thereof with the feet extended;
FIG. 9 is an enlarged partial view thereof designated by the dot-dash, chain-like broken line area 9 in FIG. 1;
FIG. 10 is an enlarged partial view thereof designated by the dot-dash, chain-like broken line area 10 in FIG. 1; and,
FIG. 11 is a top plan view thereof in a state in which the power is turned off.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D242,930	S	*	1/1977	Jackson et al.	D14/240
D278,630	S	*	4/1985	Ender et al.	D14/443
4,725,694	A	*	2/1988	Auer et al.	345/173
D353,369	S	*	12/1994	Leibengood	D14/455
D412,208	S	*	7/1999	Nelson et al.	D24/158
6,384,743	B1	*	5/2002	Vanderheiden	341/21
6,501,464	B1	*	12/2002	Cobbley et al.	345/173
6,724,370	B2	*	4/2004	Dutta et al.	345/169
6,822,635	B2	*	11/2004	Shahoian et al.	345/156
6,882,337	B2	*	4/2005	Shetter	345/173
7,779,364	B2	*	8/2010	Kodimer et al.	715/773
D644,225	S	*	8/2011	Mayweather	D14/392
2003/0103066	A1	*	6/2003	Sigl	345/700

The broken lines shown in FIG. 1 that are immediately surrounding all of the indicia and adjacent to the shade lines, represent the bounds of the central portion of the claimed design, while all other lines are directed to environment and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11