



US00D652850S

(12) **United States Design Patent**  
**Song et al.**

(10) **Patent No.:** **US D652,850 S**

(45) **Date of Patent:** **\*\* Jan. 24, 2012**

(54) **OPTICAL FIBER FUSION SPLICER**

(75) Inventors: **Jae Seop Song**, Daejeon (KR); **Sang Chul Jun**, Chungcheongbuk-Do (KR); **Young Bae Seo**, Daejeon (KR)

(73) Assignee: **Ilsin Tech Co., Ltd.**, Daejeon (KR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/359,545**

(22) Filed: **Apr. 13, 2010**

(30) **Foreign Application Priority Data**

Oct. 14, 2009 (KR) ..... 30-2009-0045345

(51) **LOC (9) Cl.** ..... **15-09**

(52) **U.S. Cl.** ..... **D15/144**

(58) **Field of Classification Search** ..... D15/127,  
D15/144, 144.1, 144.2, 199; 65/4.3, 11.1,  
65/269, 272, 385, 407, 501; 219/121.37,  
219/121.45, 121.58, 383; 348/47, 61, 64,  
348/87, 92, 93, 94, 95, 96, 97, 98; 350/96.2,  
350/96.21, 320; 385/31-43, 49, 80-93, 95-99,  
385/134, 137

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D247,676 S \* 4/1978 Nakahata ..... D8/70.1  
5,533,160 A \* 7/1996 Watanabe et al. .... 385/96  
5,561,728 A \* 10/1996 Kobayashi et al. .... 385/97  
6,206,583 B1 \* 3/2001 Hishikawa et al. .... 385/96

6,439,782 B1 \* 8/2002 Otani et al. .... 385/96  
6,467,973 B2 \* 10/2002 Takahashi et al. .... 385/96  
7,061,522 B1 \* 6/2006 Kojima et al. .... 348/61  
7,438,485 B2 \* 10/2008 Tabata et al. .... 385/97  
D596,211 S \* 7/2009 Sasaki ..... D15/144  
2001/0053268 A1 \* 12/2001 Takahashi et al. .... 385/96  
2005/0041938 A1 \* 2/2005 Hattori et al. .... 385/96  
2010/0260458 A1 \* 10/2010 Sato ..... 385/96  
2010/0272405 A1 \* 10/2010 Song et al. .... 385/96

\* cited by examiner

*Primary Examiner* — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Jenkins, Wilson, Taylor & Hunt, P.A.

(57) **CLAIM**

The ornamental design for an optical fiber fusion splicer, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an optical fiber fusion splicer in accordance with an embodiment of the present invention; FIG. 2 is a front view of the optical fiber fusion splicer shown in FIG. 1;

FIG. 3 is a rear view of the optical fiber fusion splicer shown in FIGS. 1 and 2;

FIG. 4 is a left side view of the optical fiber fusion splicer shown in FIGS. 1-3;

FIG. 5 is a right side view of the optical fiber fusion splicer shown in FIGS. 1-4;

FIG. 6 is a top view of the optical fiber fusion splicer shown in FIGS. 1-5; and,

FIG. 7 is a bottom view of the optical fiber fusion splicer shown in FIGS. 1-6.

**1 Claim, 7 Drawing Sheets**





FIG. 1






FIG. 2




FIG. 3





FIG. 4






FIG. 6




FIG. 7