



US00D653063S

(12) **United States Design Patent**
Post et al.

(10) **Patent No.:** **US D653,063 S**
(45) **Date of Patent:** **** Jan. 31, 2012**

- (54) **MESH DRAWER**
- (75) Inventors: **R. Neal Post**, Springfield, IL (US);
Christopher Hardy, Springfield, IL (US)
- (73) Assignee: **Design Ideas, Ltd.**, Springfield, IL (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/307,556**
- (22) Filed: **Apr. 25, 2008**

- 2,825,481 A 3/1958 Glenn
- D182,349 S 4/1958 Alvord
- 2,905,519 A 9/1959 O'Neil
- D189,544 S 1/1961 Harris
- D189,550 S 1/1961 Alvord
- D194,513 S 2/1963 Sparling
- D204,314 S 4/1966 Bright
- D207,308 S 4/1967 Bell
- D227,964 S 7/1973 Propst
- 3,868,123 A 2/1975 Berg et al.
- D267,395 S 12/1982 Groenewold et al.
- 4,509,805 A 4/1985 Welsch et al.
- D300,488 S 4/1989 Yoshikawa
- D303,444 S 9/1989 Yoshikawa
- D328,993 S 9/1992 Rosenthal
- D329,556 S 9/1992 Brussing
- D329,765 S 9/1992 Ackley et al.
- D330,813 S 11/1992 Spitzer et al.
- D340,369 S 10/1993 Dokoupil et al.
- D341,459 S 11/1993 Yang
- D360,531 S 7/1995 Griffith
- D365,226 S 12/1995 Goebel
- D370,144 S 5/1996 Insalaco et al.
- D373,039 S 8/1996 Cohen et al.
- 5,605,344 A 2/1997 Insalaco et al.
- 5,673,984 A 10/1997 Insalaco et al.
- 5,685,442 A 11/1997 Yoshino et al.
- 5,810,179 A 9/1998 Kleiman
- D408,175 S 4/1999 Daniels et al.
- D409,866 S 5/1999 West
- D411,045 S 6/1999 Morandi
- D418,998 S 1/2000 Glassenberg
- D419,302 S 1/2000 Hardy et al.
- 6,032,965 A 3/2000 Sabounjian
- D430,375 S 8/2000 Tezak
- D432,752 S 10/2000 Andujar et al.
- D434,074 S 11/2000 Hardy
- D436,239 S 1/2001 Walsh
- D436,461 S 1/2001 Walker
- D436,466 S 1/2001 Luong et al.
- D438,402 S 3/2001 Walsh
- D445,281 S 7/2001 Tsong-Yow
- D450,481 S 11/2001 Post
- D451,675 S 12/2001 Hardy et al.
- D453,027 S 1/2002 Andujar
- D455,029 S 4/2002 Gusdorf
- D460,848 S 7/2002 Tzeng
- D462,543 S 9/2002 Childers
- D465,947 S 11/2002 Andersen et al.
- D481,233 S 10/2003 Post et al.
- 6,718,635 B2 4/2004 Cheng et al.
- D498,375 S 11/2004 Post et al.
- D501,105 S 1/2005 Post et al.


Related U.S. Application Data

- (60) Continuation of application No. 29/238,378, filed on Sep. 14, 2005, now Pat. No. Des. 567,553, which is a division of application No. 29/216,533, filed on Nov. 4, 2004, now abandoned, which is a division of application No. 29/190,480, filed on Sep. 22, 2003, now Pat. No. Des. 501,105, which is a division of application No. 29/176,610, filed on Feb. 27, 2003, now Pat. No. Des. 481,233, which is a continuation-in-part of application No. 29/148,906, filed on Sep. 28, 2001, now abandoned.
- (51) **LOC (9) Cl.** **06-06**
- (52) **U.S. Cl.** **D6/510**
- (58) **Field of Classification Search** D6/411, D6/415, 432, 436, 445-449, 455-469, 475-479, D6/510, 566; D3/306; D34/21; 108/59, 108/91-94; 211/70, 78, 107, 131.1, 133.2, 211/163, 164, 181.1, 182; 220/485, 491, 220/493, 503-506, 511; 280/47.35; D19/78
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- 297,382 A 4/1884 Golding
- 887,097 A 5/1908 Kimber
- 893,786 A 7/1908 Collins et al.
- 1,098,053 A 5/1914 Porter
- RE16,431 E 9/1926 Kratzer
- D152,141 S 12/1948 Crawford et al.
- 2,502,781 A 4/1950 Erickson



D513,874 S 1/2006 Hardy et al.
 D514,318 S 2/2006 Post et al.
 2003/0102315 A1 6/2003 Cheng et al.
 2005/0077299 A1 4/2005 Cheng et al.

OTHER PUBLICATIONS

The Container Store, The Ultimate Planning Guide, revised Nov. 2001.

The Container Store Catalog, Elfa Drawer Units, 1999, pp. 4,5,8,10,16,17, and 31.

Design Ideas Catalogue, 1995, pp. cover page, 24, 26, 27, and 29.

Design Ideas Holiday Catalogue, 1997, pp. cover page, 62, and 63.

HK Enterprise, Oct. 1999, p. 98, Item NH-11.

Primary Examiner — Caron D Veynar

Assistant Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — SAIDMAN DesignLaw Group

(57) **CLAIM**

The ornamental design for a mesh drawer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of mesh drawer showing our new design, wherein 1- and 2-runner drawers are supported by a frame;

FIG. 2 is a front view thereof, the rear view being identical thereto;

FIG. 3 is a side view thereof, the opposite side view being identical thereto;

FIG. 4 is a front view of a second embodiment thereof, wherein a 1-runner drawer is supported by a frame, the rear view being identical thereto;

FIG. 5 is a side view thereof, the opposite side view being identical thereto;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front view of a third embodiment thereof, wherein a 2-runner drawer is supported by a frame, the rear view being identical thereto;

FIG. 9 is a side view thereof, the opposite side view being identical thereto;

FIG. 10 is a top view thereof;

FIG. 11 is a bottom view thereof;

FIG. 12 is a front view of a fourth embodiment thereof, wherein a 3-runner drawer is supported by a frame, the rear view being identical thereto;

FIG. 13 is a side view thereof, the opposite side view being identical thereto;

FIG. 14 is a top view thereof;

FIG. 15 is a bottom view thereof;

FIG. 16 is a front view of a fifth embodiment thereof, wherein two 1-runner drawers are supported by a frame, the rear view being identical thereto;

FIG. 17 is a side view thereof, the opposite side view being identical thereto;

FIG. 18 is a front view of a sixth embodiment thereof, wherein 1- and 3-runner drawers are supported by a frame, the rear view being identical thereto;

FIG. 19 is a side view thereof, the opposite side view being identical thereto.

FIG. 20 is a front view of a seventh embodiment thereof, wherein three 1-runner drawers are supported by a frame, the rear view being identical thereto;

FIG. 21 is a side view thereof, the opposite side view being identical thereto;

FIG. 22 is a front view of a eighth embodiment thereof wherein 1-, 2-, and 3-runner drawers are supported by a frame, the rear view being identical thereto;

FIG. 23 is a side view thereof, the opposite side view being identical thereto;

FIG. 24 is a front view of a ninth embodiment thereof, wherein two 2-runner drawers are supported by a frame, the rear view being identical thereto;

FIG. 25 is a side view thereof, the opposite side view being identical thereto;

FIG. 26 is a front view of a tenth embodiment thereof, wherein a 2- and a 3-runner drawers are supported by a frame, the rear view being identical thereto;

FIG. 27 is a side view thereof, the opposite side view being identical thereto;

FIG. 28 is a front view of an eleventh embodiment thereof, wherein two 3-runner drawers are supported by a frame, the rear view being identical thereto;

FIG. 29 is a side view thereof, the opposite side view being identical thereto;

FIG. 30 is a front view of an twelfth embodiment thereof, wherein a 1-runner drawer and two 2-runner drawers are supported by a frame, the rear view being identical thereto; and,

FIG. 31 is a side view thereof, the opposite side view being identical thereto.

The handle and upper mesh portion shown in broken lines indicate that no particular handle shape is being claimed and are illustrative and form no part of the claimed design. The lower mesh portion and the frame in broken lines are illustrative and forms no part of the claimed design. The mesh material that may be visible through the holes in the mesh has been removed for clarity. The wavy end portions of the vertical frame members indicate fragmentary, indeterminate length and form no part of the claimed design. The broken line showing of structural lines is included for the purpose of illustrating non-claimed subject matter and forms no part of the claimed design.

1 Claim, 16 Drawing Sheets




Fig. 1




Fig. 3




Fig. 2




Fig. 5




Fig. 4




Fig. 7




Fig. 6




Fig. 9




Fig. 8




Fig. 11




Fig. 10




Fig. 13




Fig. 12




Fig. 15




Fig. 14




Fig. 17




Fig. 16




Fig. 19




Fig. 18




Fig. 21




Fig. 20




Fig. 23




Fig. 22




Fig. 25




Fig. 24




Fig. 27




Fig. 26




Fig. 29




Fig. 28




Fig. 31




Fig. 30