



US00D653109S

(12) **United States Design Patent**
Stammen

(10) **Patent No.:** **US D653,109 S**
(45) **Date of Patent:** **** Jan. 31, 2012**

- (54) **CAN END**
- (75) Inventor: **Dennis C. Stammen**, Vandalia, OH (US)
- (73) Assignee: **Stolle Machinery Company, LLC**, Centennial, CO (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/377,154**
- (22) Filed: **Oct. 18, 2010**
- (51) **LOC (9) Cl.** **09-07**
- (52) **U.S. Cl.** **D9/438; D9/454**
- (58) **Field of Classification Search** D9/772, D9/454, 450, 449, 447, 438, 436, 435, 434; D7/396.2, 392.1; 220/713, 711, 703, 377, 220/273, 270, 256.1, 254.1
See application file for complete search history.

- 6,702,538 B1 3/2004 Heinicke et al.
- D520,358 S 5/2006 Heinicke
- 7,124,613 B1 10/2006 McClung
- 7,143,623 B1 12/2006 Turnbull et al.
- 7,270,246 B2 9/2007 Butcher et al.
- 7,302,822 B1 12/2007 Turnbull et al.
- 7,305,861 B2 12/2007 Turner et al.
- D565,406 S 4/2008 Foskett
- D568,741 S 5/2008 Foskett
- 7,472,575 B2 1/2009 Butcher et al.
- D600,117 S 9/2009 Hall
- D600,118 S 9/2009 Brehelin
- 7,614,520 B2 11/2009 McEldowney et al.
- 7,677,404 B2 3/2010 McEldowney et al.
- D634,193 S * 3/2011 Draxler D9/438

* cited by examiner

Primary Examiner — Susan Bennett Hattan
(74) *Attorney, Agent, or Firm* — Eckert Seamans Cherin & Mellott, LLC; Grant E. Coffield, Esq.

(57) **CLAIM**
The ornamental design for a can end, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

- D219,370 S * 12/1970 Saunders D9/438
- D226,073 S * 1/1973 Wesphal D9/438
- 4,808,052 A 2/1989 Bulso, Jr. et al.
- 4,955,223 A 9/1990 Stodd et al.
- 4,977,772 A 12/1990 Bulso, Jr. et al.
- 5,038,956 A 8/1991 Saunders
- 5,042,284 A 8/1991 Stodd et al.
- D337,521 S * 7/1993 McNulty D9/438
- 5,331,836 A 7/1994 Cudzik
- D352,898 S * 11/1994 Vacher D9/438
- 5,671,860 A * 9/1997 Louwerse et al. 220/276
- D421,907 S 3/2000 Benge et al.
- 6,079,249 A 6/2000 Turner et al.
- 6,666,933 B2 12/2003 Roberts et al.

DESCRIPTION

FIG. 1 is an isometric view of a can end;
FIG. 2 is a top plan view of the can end of FIG. 1;
FIG. 3 is a bottom plan view of the can end of FIG. 2;
FIG. 4 is a side elevation view of the can end of FIG. 3;
FIG. 5 is a front elevation view of the can end of FIG. 4;
FIG. 6 is a back elevation view of the can end of FIG. 5; and,
FIG. 7 is a section view taken along line 7-7 of FIG. 2.
The broken lines showing the pull tab, the finger well, and the rivet and rivet island are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG.1




FIG. 3




FIG. 2




FIG. 4



FIG. 5




FIG. 6



FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
Certificate

Patent No. D653,109 S

Patented: January 31, 2012

On petition requesting issuance of a certificate for correction of inventorship pursuant to 35 U.S.C. 256, it has been found that the above identified patent, through error and without any deceptive intent, improperly sets forth the inventorship.

Accordingly, it is hereby certified that the correct inventorship of this patent is: Lynn A. Burlison, Jr., Fort Dodge, IA (US); John L. Phillips, Monona, WI (US); Donald M. Gust, Oconomowoc, WI (US); and Rohm E. Bloedorn, Delafield, WI (US).

Signed and Sealed this Seventeenth Day of July 2012.

Robert M. Spear
Supervisory Patent Examiner
Art Unit 2915
Technology Center 2900