



US00D653401S

(12) **United States Design Patent**
Olson et al.

(10) **Patent No.:** **US D653,401 S**
(45) **Date of Patent:** **** Jan. 31, 2012**

(54) **CONSTRUCTION GLOVE**

(75) Inventors: **Andrew M. Olson**, Minneapolis, MN (US); **Thomas F. Votel**, Sunfish Lake, MN (US)

(73) Assignee: **Tenacious Holdings, Inc.**, St. Paul, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/387,472**

(22) Filed: **Mar. 14, 2011**

(51) **LOC (9) Cl.** **02-06**

(52) **U.S. Cl.** **D29/117.1**

(58) **Field of Classification Search** D2/610, D2/614, 615, 616, 617, 618, 619, 620, 621, D2/622, 623; D20/33; D21/807; D28/63; D29/113, 114, 116.2, 117.1, 117.2, 120.1, D29/123; D32/40, 41, 42, 43; 2/16, 158, 2/159, 161.1, 161.3, 161.4, 161.5, 161.8, 2/162, 168, 170, 455, 908, 910, 917; 40/586; 446/26

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D58,313	S *	7/1921	Grinnell	D2/620
D101,309	S *	9/1936	Kovar	D2/620
3,606,614	A *	9/1971	Dimitroff	2/159
D268,968	S *	5/1983	Sami	D29/117.1
D299,564	S *	1/1989	Pierce, Jr.	D29/117.1
4,864,660	A *	9/1989	Sawyer	2/20
6,155,084	A *	12/2000	Andrews et al.	66/174
D445,996	S *	8/2001	Kiernan	D2/617
D529,683	S *	10/2006	Fitzgerald	D2/617
D571,528	S *	6/2008	Ash et al.	D2/617
D577,177	S *	9/2008	Rockel et al.	D2/623
7,478,440	B2 *	1/2009	Dolenak	2/161.6
7,841,024	B2 *	11/2010	Son	2/163
D632,870	S *	2/2011	Anderes et al.	D2/621

2007/0245455	A1 *	10/2007	Robba	2/161.6
2008/0060115	A1 *	3/2008	Morris	2/159
2009/0100573	A1 *	4/2009	Coulter et al.	2/161.1
2009/0144881	A1 *	6/2009	Panosian et al.	2/161.6

OTHER PUBLICATIONS

Ergodyne ProFlex 750 At-Heights Construction Gloves, [on-line]; [retrieved from the Internet Oct. 3, 2011]; URL: <http://www.ergodyne.com/products/pages/default.aspx?PCA=26&PRD=486>. (2 pages).*

(Continued)

Primary Examiner — Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm* — Patterson Thuent Christensen Pedersen, P.A.

(57) **CLAIM**

We claim the ornamental design for a construction glove, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a construction glove according to an embodiment of the invention.

FIG. 2 is a rear elevation view of a construction glove according to an embodiment of the invention.

FIG. 3 is a front elevation view of a construction glove according to an embodiment of the invention.

FIG. 4 is a right side elevation view of a construction glove according to an embodiment of the invention.


FIG. 5 is a left side elevation view of a construction glove according to an embodiment of the invention.

FIG. 6 is a top plan view of a construction glove according to an embodiment of the invention; and,

FIG. 7 is a bottom plan view of a construction glove according to an embodiment of the invention.

The broken lines shown on the surfaces of the glove in the drawings represent stitching and are part of the claimed design. The broken-line oval in the wrist opening of FIG. 7 defines the bounds of the claimed design and forms no part thereof.

1 Claim, 6 Drawing Sheets



OTHER PUBLICATIONS

“Ergodyne launches Proflex 750 at-Heights Construction Glove,”
[on-line], [article dated Feb. 3, 2011], [retrieved from the Internet
Oct. 3, 2011]; URL: <http://www.ergodyne.com/newsevents/Pages/>

ErgodyneLaunchesProFlex® 750At-HeightsConstructionGlove.
aspx>. (2 pages).*

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

