



US00D653499S

(12) **United States Design Patent**  
**Dietterle et al.**

(10) **Patent No.:** **US D653,499 S**

(45) **Date of Patent:** **\*\* Feb. 7, 2012**

(54) **QUICK FILL ADAPTOR FOR A FLUID CONTAINER**

(76) Inventors: **David W. Dietterle**, Oceanside, CA (US); **Jeffrey P. Smith**, San Diego, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/370,923**

(22) Filed: **Sep. 21, 2010**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 11/897,503, filed on Aug. 30, 2007.

(51) **LOC (9) Cl.** ..... **07-99**

(52) **U.S. Cl.** ..... **D7/389; D7/397; D7/396.2; D7/510**

(58) **Field of Classification Search** ..... D7/509-511, D7/315, 397, 398, 387, 396.2; D23/263; D12/114, 411, 409, 126; 224/414; D9/447, D9/449, 524, 526, 436; 220/709; 215/11.1; D28/7

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,996,257	A *	8/1961	Elves et al.	239/25
3,101,174	A *	8/1963	Loveland	239/27
3,840,153	A *	10/1974	Devlin	222/146.6
4,201,491	A *	5/1980	Kohler	401/264
D270,704	S *	9/1983	Ruxton et al.	D7/398
4,676,387	A *	6/1987	Stephenson et al.	215/11.1
D296,666	S *	7/1988	Hunt	D9/522
4,821,895	A *	4/1989	Roskilly	215/11.1
5,115,952	A *	5/1992	Jenkins	224/414
5,178,308	A *	1/1993	Endre	224/435

D340,865	S *	11/1993	Endre	D9/526
5,257,647	A *	11/1993	Wilhite	239/25
D347,760	S *	6/1994	Breeze	D7/398
D348,802	S *	7/1994	Miller, III	D7/510
5,704,525	A *	1/1998	Barro	224/414
6,041,951	A *	3/2000	Blum et al.	215/11.1
6,526,966	B1 *	3/2003	Peesay	128/200.21
D477,182	S *	7/2003	Brown	D7/507
6,604,642	B1 *	8/2003	Barruw	215/40
D489,480	S *	5/2004	Angeletta	D28/7
D524,982	S *	7/2006	Angeletta	D28/7
D573,880	S *	7/2008	Clause et al.	D9/449
D574,237	S *	8/2008	Yates, III	D9/447
D601,894	S *	10/2009	Cho et al.	D9/447
D629,653	S *	12/2010	Gullickson et al.	D7/510

\* cited by examiner

*Primary Examiner* — Marianne Pandozzi

(74) *Attorney, Agent, or Firm* — Henry G. Kohlmann

(57) **CLAIM**

The ornamental design for a quick fill adaptor for a fluid container, as shown and described.

**DESCRIPTION**

FIG. 1 is a rear left perspective view of a quick fill adaptor for a fluid container showing our new design that mounts on a sport bottle or other hydration apparatus.

FIG. 2 is an in-use perspective view thereof.

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a front view thereof;


FIG. 6 is a rear view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

The drawing figures are attached hereto as FIGS. 1-8 on sheets 1 of 4 through sheet 4 of 4.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG 5




FIG 6




FIG. 7




FIG. 8