



US00D653574S

(12) **United States Design Patent**
Gonzales

(10) **Patent No.:** **US D653,574 S**

(45) **Date of Patent:** **** Feb. 7, 2012**

(54) **FINNED HAZARDOUS CONDITION
DETECTOR**

(75) Inventor: **Eric V. Gonzales**, Naperville, IL (US)

(73) Assignee: **Universal Security Instruments, Inc.**,
Owings Mills, MD (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/377,301**

(22) Filed: **Oct. 20, 2010**

(51) **LOC (9) Cl.** **10-05**

(52) **U.S. Cl.** **D10/106.5**

(58) **Field of Classification Search** D10/106.5,
D10/106.2, 121; 340/628, 632, 634, 544,
340/545, 555, 558, 571, 693.6; 493/333

See application file for complete search history.

D364,108 S	11/1995	DeWitt	
D367,622 S	3/1996	DeWitt	
D367,623 S	3/1996	DeWitt	
5,751,218 A *	5/1998	Winterble et al.	340/693.6
D422,521 S	4/2000	Morrow	
D472,175 S	3/2003	Welsh	
D596,974 S *	7/2009	Watson	D10/106.5
D605,964 S *	12/2009	Ikehata	D10/106.5
D612,280 S *	3/2010	Ikehata	D10/106.5
D627,670 S	11/2010	Gonzales	
D627,671 S	11/2010	Gonzales	

* cited by examiner

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Cahn & Samuels, LLP

(57) **CLAIM**

The ornamental design for a finned hazardous condition detector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of a finned hazardous condition detector showing my new design; FIG. 2 is a top view thereof; FIG. 3 is a bottom view thereof; FIG. 4 is side view thereof; FIG. 5 is a second side view thereof; FIG. 6 is a third side view thereof; and, FIG. 7 is a fourth side view thereof.



In the drawings, the broken line showing of oval elements on the top of the design depicts environmental subject matter and forms no part of the claim.

1 Claim, 3 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D246,635 S	12/1977	Boldt et al.	
D249,481 S	9/1978	Conforti et al.	
D283,407 S	4/1986	Fenne	
D284,748 S	7/1986	Fenne	
D297,219 S	8/1988	Taylor	
D297,222 S	8/1988	Rauch	
D306,409 S	3/1990	Fish	
D308,947 S	7/1990	Downing	
D339,078 S	9/1993	Behlke	
D346,981 S	5/1994	Ratzlaff	
5,403,198 A *	4/1995	Koganemaru et al.	439/333
D359,701 S	6/1995	Fischette et al.	
D361,732 S	8/1995	Fischette et al.	






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7