



US00D653626S

(12) **United States Design Patent**
Grünwald et al.

(10) **Patent No.:** **US D653,626 S**

(45) **Date of Patent:** **** Feb. 7, 2012**

(54) **FIELD DEVICE**

(75) Inventors: **Andreas Grünwald**, Berlin (DE);
Alexandra Heisig, Berlin (DE); **Eric Lude**, Berlin (DE); **Thomas Menke**, Berlin (DE); **Eberhard Ohlert**, Erlangen (DE); **Axel Platz**, München (DE); **Volker Rissland**, Marwitz (DE); **Thomas Schüppler**, Berlin (DE)

(73) Assignee: **Siemens Aktiengesellschaft**, Munich (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/362,136**

(22) Filed: **May 20, 2010**

(30) **Foreign Application Priority Data**

Nov. 20, 2009 (EM) 001181697

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/164**

(58) **Field of Classification Search** D13/162, D13/164; D10/49, 50; D14/443; 200/5 R, 200/5 A, 5 E, 293, 296, 302.2, 308, 310, 200/314; 174/66; 341/22, 34; 345/156, 345/173; 340/500; 361/600, 601, 622, 627, 361/628, 679.01; 700/17, 83, 180; 715/700, 715/810

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|----|---|---------|------------------|-------|------------|
| D364,573 | S | * | 11/1995 | Pearsall | | D10/50 |
| 5,666,268 | A | * | 9/1997 | Rix et al. | | 361/692 |
| D423,962 | S | * | 5/2000 | Ott | | D10/80 |
| D438,176 | S | * | 2/2001 | Cornu | | D13/162 |
| 6,236,399 | B1 | * | 5/2001 | Nishiyama et al. | | 715/810 |
| 6,331,935 | B1 | * | 12/2001 | Baran | | 361/679.41 |
| D573,108 | S | * | 7/2008 | Pan | | D13/164 |
| 7,423,555 | B2 | * | 9/2008 | Chai | | 341/22 |
| 7,599,172 | B2 | * | 10/2009 | Barreau et al. | | 361/657 |
| D608,302 | S | * | 1/2010 | Liu | | D13/164 |
| D610,096 | S | * | 2/2010 | Gemme et al. | | D13/162 |

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Laurence A. Greenberg; Werner H. Stemer; Ralph E. Locher

(57) **CLAIM**

The ornamental design for a field device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the field device showing my new design;
FIG. 2 is a rear elevation view of the field device;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof; and,
FIG. 7 is a right top perspective view thereof.
The broken line showing of the field device is for illustrative purpose only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets




FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7

