



US00D653813S

(12) **United States Design Patent**
Rogers

(10) **Patent No.:** **US D653,813 S**

(45) **Date of Patent:** **** Feb. 7, 2012**

(54) **THUMB GUARD WITH TAP**

(76) Inventor: **Charlene Rogers, Beggs, OK (US)**

(**) Term: **14 Years**

(21) Appl. No.: **29/394,636**

(22) Filed: **Jun. 20, 2011**

(51) **LOC (9) Cl.** **02-06**

(52) **U.S. Cl.** **D29/114**

(58) **Field of Classification Search** D2/610,
D2/614, 62; D7/695; D14/411; D24/190;
D28/56, 57; D29/113, 114, 123, 120.1; 2/16,
2/21, 163; 34/95.2; 128/880; 132/73.5,
132/200, 285; 345/179; 451/523

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

540,975	A *	6/1895	Grimes	223/101
718,652	A *	1/1903	McMillan	131/247
1,066,480	A *	7/1913	Finlay	2/168
D112,752	S *	12/1938	Douglas et al.	D29/114
2,223,842	A *	12/1940	Brekke	434/100
2,232,396	A *	2/1941	Lee et al.	2/21
2,509,837	A *	5/1950	Niizawa	401/7
D168,689	S *	1/1953	Jones	D29/114
D170,260	S *	8/1953	Jones	D29/114
2,717,799	A *	9/1955	Jones	294/25
2,742,898	A *	4/1956	Beaudry et al.	128/880
3,306,288	A *	2/1967	Rosenfield	602/60
3,511,242	A *	5/1970	Agnone	606/148
3,728,736	A *	4/1973	Pugh	2/21
D293,379	S *	12/1987	Link	D24/190
D422,121	S *	3/2000	Peck	D29/114
D459,478	S *	6/2002	Perricone	D24/200
D488,588	S *	4/2004	Murphy	D29/114
6,807,681	B2 *	10/2004	Sorrels	2/21
D517,796	S *	3/2006	Storm	D3/29
D570,915	S *	6/2008	De Beer	D19/57

D575,906	S	8/2008	Drangel et al.	
D581,101	S	11/2008	Drangel et al.	
D618,243	S *	6/2010	Chamblin	D14/411
D637,763	S *	5/2011	Hernandez	D29/114
2006/0066563	A1 *	3/2006	Mochwart	345/156
2006/0221066	A1 *	10/2006	Cascella	345/179
2009/0278818	A1 *	11/2009	DiNozzi et al.	345/179
2010/0271339	A1 *	10/2010	Helm	345/179

* cited by examiner

Primary Examiner — Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm* — Gable GoTvals

(57) **CLAIM**

The ornamental design for a thumb guard with tap, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view showing the exterior of one side and part of the interior of the other side of the thumb guard with tap;

FIG. 2 is an isometric view showing the top and the exterior of one side of the thumb guard with tap;

FIG. 3 is a top plan view thereof;

FIG. 4 is a side elevational view thereof, the other side being the mirror image;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a rear elevational view thereof;

FIG. 7 is a front elevational view thereof; and,

FIG. 8 is a cross-sectional view showing the interior of one side of the thumb guard with tap.

The hand in FIG. 1, the hands, the hand-held device, the additional thumb guard in FIG. 2, and the padding in FIG. 8 are shown in dot-and-dash broken lines as they are environmental structures intended to illustrate the claimed design in use. None of the broken-line subject matter forms a part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8