

US00D654002S

(12) **United States Design Patent**  
**Owyang**

(10) **Patent No.:** **US D654,002 S**  
(45) **Date of Patent:** **\*\* Feb. 14, 2012**

(54) **LEVER FOR MOTORIZED VEHICLE**

(76) Inventor: **Mon Spencer Owyang**, Capitola, CA  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/394,441**

(22) Filed: **Jun. 16, 2011**

(51) **LOC (9) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/179**

(58) **Field of Classification Search** ..... D12/179,  
D12/180, 111, 110, 107; 74/486–489, 502.2,  
74/551.7–551.9, 473.12–473.14, 519, 522–525,  
74/491; 188/24.11–24.22, 344, 359, 2 D  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |      |         |           |       |          |
|-----------|------|---------|-----------|-------|----------|
| 5,448,927 | A *  | 9/1995  | Lumpkin   | ..... | 74/502.2 |
| 5,515,743 | A *  | 5/1996  | Lumpkin   | ..... | 74/502.2 |
| D374,205  | S *  | 10/1996 | Levinkron | ..... | D12/179  |
| D382,842  | S *  | 8/1997  | Nishimura | ..... | D12/179  |
| D442,529  | S *  | 5/2001  | Terasawa  | ..... | D12/179  |
| 6,370,877 | B1 * | 4/2002  | Lin       | ..... | 60/588   |
| D521,427  | S *  | 5/2006  | Tsai      | ..... | D12/179  |
| D531,944  | S *  | 11/2006 | Okada     | ..... | D12/179  |
| D543,913  | S *  | 6/2007  | Hanamura  | ..... | D12/179  |
| D573,926  | S *  | 7/2008  | Jones     | ..... | D12/179  |

|           |      |         |                 |       |           |
|-----------|------|---------|-----------------|-------|-----------|
| D573,927  | S *  | 7/2008  | Jones           | ..... | D12/179   |
| 7,546,909 | B2 * | 6/2009  | Campbell et al. | ..... | 188/24.22 |
| 7,617,913 | B2 * | 11/2009 | Lumpkin         | ..... | 188/24.22 |

\* cited by examiner

*Primary Examiner* — Susan M Lee

*Assistant Examiner* — Linda G. Brooks

(74) *Attorney, Agent, or Firm* — James P. Broder; Roeder & Broder LLP

(57) **CLAIM**

The ornamental design for a lever for motorized vehicle, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of my new design for a lever for motorized vehicle;

FIG. 2 is a bottom perspective view of the lever for motorized vehicle illustrated in FIG. 1;

FIG. 3 is a side elevation view of the lever for motorized vehicle illustrated in FIG. 1;

FIG. 4 is a top view of the lever for motorized vehicle illustrated in FIG. 1;



FIG. 5 is a bottom view of the lever for motorized vehicle illustrated in FIG. 1;


FIG. 6 is an end view of the lever for motorized vehicle taken from the right side of FIG. 3;

FIG. 7 is an end view of the lever for motorized vehicle taken from the left side of FIG. 3; and,


FIG. 8 is a cross-sectional view of the lever for motorized vehicle taken on line 8-8 in FIG. 4.

**1 Claim, 4 Drawing Sheets**





**FIG. 1**



**FIG. 2**




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8