



US00D654015S

(12) **United States Design Patent**
Rodicq et al.

(10) **Patent No.:** **US D654,015 S**
(45) **Date of Patent:** **** Feb. 14, 2012**

(54) **TIRE**
(75) Inventors: **Christophe Rodicq**,
Thionville-Veymerange (FR); **Murat**
Ahmet Yasar Susutoglu, Bissen (LU)
(73) Assignee: **The Goodyear Tire & Rubber**
Company, Akron, OH (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/362,353**

(22) Filed: **May 25, 2010**
(51) **LOC (9) Cl.** **12-15**
(52) **U.S. Cl.** **D12/602**
(58) **Field of Classification Search** D12/563–567,
D12/568, 586–603, 900–901; 152/209.1–209.28,
152/455

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D303,513 S	9/1989	Collette et al.	D12/147
D305,523 S *	1/1990	Remick	D12/596
D387,021 S *	12/1997	Miyazaki	D12/602
D388,040 S	12/1997	de Barsy	D12/147
D402,243 S	12/1998	Heinen	D12/147
D410,420 S	6/1999	de Barsy	D12/147
D411,491 S	6/1999	Harden, Jr. et al.	D12/148
D411,492 S	6/1999	Young	D12/149
D425,457 S	5/2000	Gillard et al.	D12/146
D427,552 S	7/2000	Young	D12/147
D442,897 S	5/2001	Cazin-Bourguignon et al.	D12/147
D446,171 S *	8/2001	Habay	D12/602
D449,022 S	10/2001	Cazin-Bourguignon et al.	D12/147
D458,580 S	6/2002	Young et al.	D12/512
D458,584 S	6/2002	Young et al.	D12/600
D462,316 S *	9/2002	Lopez	D12/602
D478,863 S	8/2003	Le et al.	D12/602
D492,933 S *	7/2004	Lassan et al.	D12/602
D498,208 S	11/2004	Cazin-Bourguignon et al.	D12/600
D500,288 S	12/2004	Maziarka et al.	D12/601

D511,741 S	11/2005	Cazin-Bourguignon et al.	D12/601
D517,468 S	3/2006	Le et al.	D12/566
D528,500 S	9/2006	Le et al.	D12/600
D533,498 S	12/2006	Schuren et al.	D12/588
D541,731 S	5/2007	Maziarka et al.	D12/528
D554,055 S	10/2007	Beauguitte et al.	D12/600
D569,334 S	5/2008	Maziarka et al.	D12/600
D584,681 S *	1/2009	Shimada	D12/602
D610,530 S *	2/2010	Perdriat	D12/602
D610,968 S *	3/2010	Godeau et al.	D12/583
D619,086 S *	7/2010	Reim et al.	D12/598
D632,245 S *	2/2011	Audigier et al.	D12/583

* cited by examiner

Primary Examiner — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4



FIG-5




FIG-6