



US00D654583S

(12) **United States Design Patent**
Lee-Sepsick

(10) **Patent No.:** **US D654,583 S**

(45) **Date of Patent:** **** Feb. 21, 2012**

(54) **DEVICE FOR DELIVERING MATERIALS**

(75) Inventor: **Kathy Lee-Sepsick, Suwanee, GA (US)**

(73) Assignee: **Femasys Inc.**

(**) Term: **14 Years**

(21) Appl. No.: **29/362,023**

(22) Filed: **May 19, 2010**

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/112**

(58) **Field of Classification Search** D24/112-114,
D24/133, 186, 130, 127; 606/181, 185;
604/164.01-164.09, 533, 232, 187, 168.01,
604/192, 19, 48, 93.01, 264, 523, 524, 526,
604/504; 600/101, 139, 143; 128/200.24,
128/207.14, 207.15

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D254,270	S	*	2/1980	Ziegler	D24/112
4,332,254	A	*	6/1982	Lundquist	D24/114
D282,285	S	*	1/1986	Levy	D24/112
D353,457	S	*	12/1994	Nicholas et al.	D24/133
D353,668	S	*	12/1994	Banks et al.	D24/112
D367,324	S	*	2/1996	McCarthy et al.	D24/112
5,843,001	A	*	12/1998	Goldenberg	604/533
6,488,693	B2	*	12/2002	Gannoe et al.	604/164.12
D469,871	S	*	2/2003	Sand	D24/133
6,953,448	B2	*	10/2005	Moulton et al.	604/164.01

7,465,288	B2	*	12/2008	Dudney et al.	604/523
D612,044	S	*	3/2010	Scheibe	D24/130
D624,649	S	*	9/2010	Seeh et al.	D24/133

* cited by examiner

Primary Examiner — David Muller

(74) *Attorney, Agent, or Firm* — Ballard Spahr LLP

(57) **CLAIM**

The ornamental design for a device for delivering materials, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of one embodiment of a device for delivering materials of the present invention in an extended position, in which a balloon catheter, shown in broken lines, extends outwardly from a distal portion of the device.

FIG. 2 is a top elevational view of the device of FIG. 1;

FIG. 3 is a bottom elevational view of the device of FIG. 1;

FIG. 4 is a front elevational view of the device of FIG. 1;

FIG. 5 is a rear elevational view of the device of FIG. 1;

FIG. 6 is an enlarged left side elevational view of the device of FIG. 1;


FIG. 7 is an enlarged right side elevational view of the device of FIG. 1;

FIG. 8 is a front elevational view of the device for delivering materials of the present invention in a withdrawn position, in which the balloon catheter is withdrawn within the distal portion of the device; and,

FIG. 9 is a rear elevational view of the device of FIG. 8.

The broken line showing of parts of the drawings is included for the purpose of illustrating use and environment and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9