



US00D654636S

(12) **United States Design Patent**
Li

(10) **Patent No.:** **US D654,636 S**
(45) **Date of Patent:** **** Feb. 21, 2012**

(54) **ANTI-VIBRATION DIPPED GLOVE**

(75) Inventor: **Qingfeng Li**, Guangzhou (CN)

(73) Assignee: **Laborsing Safety Products Inc.**, Linhe East, Tianhe District, Guangzhou, Guangdong Province (CN)

(**) Term: **14 Years**

(21) Appl. No.: **29/398,587**

(22) Filed: **Aug. 2, 2011**

(30) **Foreign Application Priority Data**

Mar. 9, 2011 (CN) 2011 3 0038231

(51) **LOC (9) Cl.** **02-06**

(52) **U.S. Cl.** **D29/117.2**

(58) **Field of Classification Search** D2/610, D2/614, 615, 616, 617, 618, 619, 620, 621, D2/622, 623; D20/33; D21/807; D28/63; D29/113, 114, 116.2, 117.1, 117.2, 120.1, D29/123; D32/40, 41, 42, 43; 2/16, 158, 2/159, 161.1, 161.3, 161.4, 161.5, 161.8, 2/162, 168, 170, 455, 908, 910, 917; 40/586; 446/26

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,557,803 A * 9/1996 Granich et al. 2/16
D500,396 S * 1/2005 Akagi D2/617
D522,698 S * 6/2006 Yamamoto D29/117.2
D527,864 S * 9/2006 Kishihara et al. D2/617
D536,837 S * 2/2007 Jaeger D29/123
D552,303 S * 10/2007 Fujihana et al. D29/117.1
D555,327 S * 11/2007 Kishihara et al. D2/619

D566,377 S * 4/2008 Kishihara et al. D2/619
D569,579 S * 5/2008 Kishihara et al. D2/619
D584,859 S * 1/2009 Kishihara et al. D29/117.2
D601,777 S * 10/2009 Rolfe D2/617
D605,377 S * 12/2009 House D2/617
D620,680 S * 8/2010 Thompson et al. D2/617
D622,030 S * 8/2010 Thompson et al. D2/617
D635,737 S * 4/2011 Ash et al. D2/617
D640,836 S * 6/2011 Sweeney et al. D29/117.2
D641,525 S * 7/2011 Sweeney et al. D29/117.2
2009/0126074 A1 * 5/2009 Mattesky 2/161.8

OTHER PUBLICATIONS

Ad for Banom safety gloves, [on-line]; Feb. 2010 issue of "Industrial Safety & Hygiene News," [retrieved from Internet on Oct. 3, 2011]; (2 pages).*

* cited by examiner

Primary Examiner — Karen E Eldridge Powers

(57) **CLAIM**

The ornamental design for an anti-vibration dipped glove, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an anti-vibration dipped glove, showing my new design.

FIG. 2 is a rear perspective view thereof.

FIG. 3 is a front elevation view thereof.

FIG. 4 is a rear elevation view thereof.

FIG. 5 is a right side elevation view thereof.



FIG. 6 is a left side elevation view thereof.

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken-line oval in the wrist opening of FIG. 8 defines the bounds of the claimed design and forms no part thereof.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8