



US00D654690S

(12) **United States Design Patent**
Sofy et al.

(10) **Patent No.:** **US D654,690 S**

(45) **Date of Patent:** **** Feb. 28, 2012**

(54) **STORAGE CONTAINER**

(75) Inventors: **Janet M. Sofy**, Troy, MI (US); **Robert T. Solomon**, Ray, MI (US)

(73) Assignee: **HMS Manufacturing Co.**, Troy, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/377,293**

(22) Filed: **Oct. 20, 2010**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/309**

(58) **Field of Classification Search** D3/304–309,
D3/314–315; D7/601, 605; D9/424–425,
D9/429; 206/503, 505, 507; 220/519–520,
220/508, 675

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,447,715	A	*	6/1969	Beney	206/507
4,499,998	A		2/1985	Carlson		
D302,774	S	*	8/1989	Murphy	D7/629
5,040,834	A		8/1991	Kahl et al.		
D326,345	S	*	5/1992	Mandell et al.	D3/312
D351,284	S	*	10/1994	Kruger	D3/314
D357,120	S	*	4/1995	Miller	D3/312
D363,604	S	*	10/1995	Koenig et al.	D3/312
D367,760	S	*	3/1996	Zimmerman	D3/314
D370,346	S	*	6/1996	Zimmerman	D3/314
D372,123	S	*	7/1996	Kobilarcik et al.	D3/312
D375,836	S	*	11/1996	Conti	D3/304
D378,552	S		3/1997	Lippisch		
D384,204	S		9/1997	Lippisch		
D398,151	S	*	9/1998	Ahern, Jr.	D3/304
5,904,269	A		5/1999	Wolff		

D420,219	S	*	2/2000	Elvin-Jensen et al.	D3/305
D420,799	S	*	2/2000	Douglas et al.	D3/314
D421,183	S	*	2/2000	Koskinen	D3/312
D427,769	S		7/2000	Zimmerman		
D427,770	S	*	7/2000	Conti	D3/314
D429,464	S	*	8/2000	Helms	D9/431
D431,362	S	*	10/2000	Conti	D3/314

(Continued)

OTHER PUBLICATIONS

Sterilite Corporation Website Re: Latch Boxes Dated Apr. 23, 2010.

Primary Examiner — Elizabeth Albert

Assistant Examiner — Kelley Donnelly

(74) *Attorney, Agent, or Firm* — Harold W. Milton, Jr.;
Dickinson Wright PLLC


(57) **CLAIM**

The ornamental design for a storage container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the storage container;
FIG. 2 is an enlarged view of the handle shown in FIG. 1;
FIG. 3 is a top view of the storage container of FIG. 1;
FIG. 4 is a bottom view of the of the storage container of FIG. 1;
FIG. 5 is a side view of the storage container of FIG. 1;
FIG. 6 is an end view of the storage container of FIG. 1;
FIG. 7 is a perspective view of the of the storage container of FIG. 1 showing the interior depth of the storage container of FIG. 1; and,
FIG. 8 is a perspective view of the storage container of FIG. 1 showing the bottom of the storage container of FIG. 1.

1 Claim, 8 Drawing Sheets



US D654,690 S

Page 2

U.S. PATENT DOCUMENTS			
D439,406 S	3/2001	Zimmerman	
D466,299 S	12/2002	Zimmerman	
6,874,650 B2 *	4/2005	Welsh et al.	220/519 * cited by examiner
D549,454 S *	8/2007	Åhman	D3/304
D564,229 S *	3/2008	Splain et al.	D3/309
D572,903 S *	7/2008	McNamara et al.	D3/302




FIG. 2

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8