



US00D654784S

(12) **United States Design Patent**
Paik

(10) **Patent No.:** **US D654,784 S**

(45) **Date of Patent:** **** Feb. 28, 2012**

(54) **CORD LOCK**

(76) Inventor: **Jisook Paik**, Seoul (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/387,568**

(22) Filed: **Mar. 15, 2011**

(51) **LOC (9) Cl.** **08-08**

(52) **U.S. Cl.** **D8/383**

(58) **Field of Classification Search** D8/383,
D8/356, 371, 394-395, 349; 24/115 R, 115 G,
24/115 H, 265 CD, 269.2, 74.2, 112, 136 R,
24/115 M, 197, 561, 18

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D259,244 S *	5/1981	Grecol, Jr.	D8/380
D389,050 S *	1/1998	Li	D8/395
D604,589 S *	11/2009	Johansson	D8/356
D627,632 S *	11/2010	Elmer et al.	D8/383
D633,377 S *	3/2011	Chan	D8/383

* cited by examiner

Primary Examiner — Cynthia M Chin

Assistant Examiner — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Kile Park Goekjian Reed & McManus PLLC

(57) **CLAIM**

I claim, the ornamental design for a cord lock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cord lock, showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a cross-sectional view thereof taken along line '8-8' in FIG. 2.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

