

US00D654849S

(12) **United States Design Patent**
Ishida

(10) **Patent No.:** **US D654,849 S**

(45) **Date of Patent:** **** Feb. 28, 2012**

(54) **TIRE FOR MOTORCYCLE**

(75) Inventor: **Shingo Ishida**, Hyogo-ken (JP)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/397,817**

(22) Filed: **Jul. 21, 2011**

(30) **Foreign Application Priority Data**

Jan. 27, 2011 (JP) 2011-001697

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/536; D12/571**

(58) **Field of Classification Search** D12/503,
D12/510, 512, 536, 539, 571, 574, 579, 900-901;
152/209.1, 209.8-209.13, 209.28, 455

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D44,235 S *	6/1913	Christy	D12/574
D51,230 S *	9/1917	Goetze	D12/503
D53,279 S *	5/1919	Wiener	D12/539
D55,768 S *	7/1920	Fox	D12/539
D162,410 S *	3/1951	Hawkinson	D12/574
D210,439 S *	3/1968	Barlow	D12/503
D238,767 S *	2/1976	Dartois	D12/571
D268,339 S *	3/1983	Inae et al.	D12/579
D280,397 S *	9/1985	Fukuchi	D12/536
D282,059 S *	1/1986	Kojima et al.	D12/571
D284,460 S *	7/1986	Kojima et al.	D12/571

D289,150 S *	4/1987	Kawajiri et al.	D12/571
D292,077 S *	9/1987	Funahara	D12/571
D301,851 S *	6/1989	Tomoda	D12/140
D332,766 S *	1/1993	Marui	D12/536
D415,077 S *	10/1999	Tsai-Jen	D12/536
D419,925 S *	2/2000	Toyozawa	D12/140
D457,485 S *	5/2002	Matsumura	D12/571
D466,861 S *	12/2002	Lo	D12/571
D505,655 S *	5/2005	Rossignaud	D12/536
D521,925 S *	5/2006	Matsumura et al.	D12/536
D583,303 S *	12/2008	Sueishi	D12/536
D595,637 S *	7/2009	Sueishi	D12/536
D597,927 S *	8/2009	Sueishi	D12/536
D633,432 S *	3/2011	Tirone	D12/503

* cited by examiner

Primary Examiner — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire for motorcycle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire for motorcycle showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

The top, bottom and rear elevational views are the same as the front elevational view.

1 Claim, 4 Drawing Sheets






FIG - 1




FIG - 2



FIG - 3




FIG - 4