



US00D655090S

(12) **United States Design Patent**
Puckett et al.

(10) **Patent No.:** **US D655,090 S**
(45) **Date of Patent:** **** Mar. 6, 2012**

(54) **BEVERAGE CONTAINER CARRY STRAP**

Primary Examiner — Cynthia M Chin
Assistant Examiner — Sheryl Lane

(76) Inventors: **Gabriela Puckett**, Omaha, NE (US);
Matthew Puckett, Omaha, NE (US)

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/388,103**

The ornamental design for a beverage container carry strap, as shown and described.

(22) Filed: **Mar. 24, 2011**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/327**

(58) **Field of Classification Search** D3/247,
D3/249, 251, 253, 226, 303; 150/147, 144,
150/149, 131–143, 103–104, 106–110, 113–114,
150/119; 383/4, 38

See application file for complete search history.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS


4,331,271	A *	5/1982	Anderson	224/150
5,147,079	A *	9/1992	Heather	224/148.6
D338,339	S *	8/1993	Anderson et al.	D3/327
D343,293	S *	1/1994	Montgomery	D3/229
5,390,838	A *	2/1995	Jafarkhani	224/148.4
D388,604	S *	1/1998	Castro	D3/229
D389,890	S *	1/1998	Diodato	D21/805
5,954,247	A *	9/1999	Savine et al.	224/148.4
6,161,885	A *	12/2000	Walker	294/31.2
D460,623	S *	7/2002	Vatter	D3/327
6,550,271	B2 *	4/2003	Silbert	62/457.4
D474,887	S *	5/2003	Forster	D3/229
6,574,985	B2 *	6/2003	Fiore, Jr.	62/457.9
D499,015	S *	11/2004	Schwartz	D3/316
D542,537	S *	5/2007	Schwartz et al.	D3/316
D581,162	S *	11/2008	Walker et al.	D3/327
D607,115	S *	12/2009	Bellamy-Noseworthy et al.	D24/199
D625,513	S *	10/2010	Carnes et al.	D3/229

* cited by examiner

FIG. 1 is a bottom view thereof, wherein the carry strap is placed in a planar manner with the first end and second end of the longitudinal strap being disconnected and the first end and second end of the lateral strap being disconnected; and FIG. 2 is a top view thereof, wherein the carry strap is placed in a planar manner with the first end and second end of the longitudinal strap being disconnected and the first end and second end of the lateral strap being disconnected; and FIG. 3 is a left planar side view thereof; and FIG. 4 is a right planar side view thereof; and FIG. 5 is a perspective view thereof, wherein the first end and second end of the longitudinal strap are operably coupled and the first end and the second end of the lateral strap are operably coupled; and, FIG. 6 is a perspective view thereof, wherein the beverage container carry strap is engaged with a container and the torso area of a user.

The broken lines showing parts of the beverage container carry strap are for the purpose of showing portions of the article and form no part of the claimed design. The broken lines showing of the person and the beverage bottle in FIG. 6 is included for the purpose of showing environment, and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 2

FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6