



US00D655254S

(12) **United States Design Patent**
Jacoby et al.

(10) **Patent No.:** **US D655,254 S**
(45) **Date of Patent:** **** *Mar. 6, 2012**

(54) **TABLETOP REMOTE LOAD CONTROL DEVICE**

(75) Inventors: **Elliot G. Jacoby**, Glenside, PA (US);
Erica L. Clymer, Nazareth, PA (US);
Jason C. Killo, Emmaus, PA (US);
Matthew Philip McDonald,
Phoenixville, PA (US); **Noel Mayo**,
Philadelphia, PA (US)

(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/380,385**

(22) Filed: **Dec. 3, 2010**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.** **D13/168**

(58) **Field of Classification Search** D13/168;
D10/104.1, 106.1; D14/218; D21/324; 315/158,
315/295; 340/4.3, 4.42, 12.22, 12.23, 12.24,
340/12.29, 12.3, 13.2, 13.21, 13.24; 341/176;
345/169; 348/734; 455/352; 463/39; 700/17,
700/65, 83

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|--------------------|-------|---------|
| D557,259 S | * | 12/2007 | Hirsch | | D14/217 |
| D592,609 S | | 5/2009 | Felegy, Jr. et al. | | |
| D614,146 S | | 4/2010 | Felegy, Jr. et al. | | |
| D615,046 S | * | 5/2010 | Felegy et al. | | D13/168 |
| D616,836 S | * | 6/2010 | Felegy et al. | | D13/168 |
| D619,105 S | * | 7/2010 | Felegy et al. | | D13/168 |
| D619,972 S | | 7/2010 | Felegy, Jr. et al. | | |
| D625,274 S | | 10/2010 | Felegy, Jr. et al. | | |
| D626,092 S | | 10/2010 | Clymer et al. | | |

| | | | | | |
|------------|---|---------|---------------|-------|---------|
| D627,308 S | | 11/2010 | Snyder et al. | | |
| D630,618 S | * | 1/2011 | Kim et al. | | D14/218 |
| D631,849 S | | 2/2011 | Jacoby et al. | | |
| D631,850 S | | 2/2011 | Jacoby et al. | | |
| D631,852 S | | 2/2011 | Clymer et al. | | |
| D631,854 S | | 2/2011 | Blair et al. | | |
| D631,855 S | | 2/2011 | Blair et al. | | |
| D640,209 S | * | 6/2011 | Felegy et al. | | D13/168 |

FOREIGN PATENT DOCUMENTS

| | | | | |
|----|--|----------------|--|--------|
| CA | | 123790 | | 6/2009 |
| EM | | 000333240-0004 | | 6/2005 |
| EM | | 000333240-0006 | | 6/2005 |
| EM | | 000911987-0094 | | 5/2008 |

OTHER PUBLICATIONS

U.S. Appl. No. 29/316,534, filed Oct. 5, 2009, Biery et al.
U.S. Appl. No. 29/378,451, filed Nov. 4, 2010, Jacoby et al.
U.S. Appl. No. 29/378,454, filed Nov. 4, 2010, Jacoby et al.
U.S. Appl. No. 29/378,456, filed Nov. 4, 2010, Jacoby et al.
U.S. Appl. No. 29/378,458, filed Nov. 4, 2010, Jacoby et al.
U.S. Appl. No. 29/378,462, filed Nov. 4, 2010, Jacoby et al.

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Mark E. Rose; Philip N. Smith; Bridget L. McDonough

(57) **CLAIM**

We claim the ornamental design for a tabletop remote load control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tabletop remote load control device according to our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.



FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

The rear view forms no part of the design and is omitted.

1 Claim, 4 Drawing Sheets



US D655,254 S

Page 2

OTHER PUBLICATIONS

U.S. Appl. No. 29/378,469, filed Nov. 4, 2010, Jacoby et al.
U.S. Appl. No. 29/380,374, filed Dec. 3, 2010, Spira.
U.S. Appl. No. 29/380,376, filed Dec. 3, 2010, Spira.

U.S. Appl. No. 29/380,377, filed Dec. 3, 2010, Jacoby et al.

U.S. Appl. No. 29/380,381, filed Dec. 3, 2010, Jacoby et al.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6