



US00D655356S

(12) **United States Design Patent**
Sandman

(10) **Patent No.:** **US D655,356 S**

(45) **Date of Patent:** **** Mar. 6, 2012**

(54) **TRAINING TOOL**

(76) Inventor: **Stefan Sandman**, Marsta (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/391,594**

(22) Filed: **May 11, 2011**

(51) **LOC (9) Cl.** **21-02**

(52) **U.S. Cl.** **D21/679**

(58) **Field of Classification Search** D21/662,
D21/679-681, 686, 691-692, 694, 797-798;
482/33, 44-47, 49-51, 55, 91, 93, 104-106,
482/108-109, 121, 123, 126-127, 139, 141,
482/148

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|---------|----------------|-------|------------|
| 2,106,994 | A * | 2/1938 | Chapman | | 482/126 |
| 2,381,869 | A * | 8/1945 | Amrhein et al. | | 242/118.32 |
| 2,637,555 | A * | 5/1953 | Klaudt | | 482/40 |
| 3,006,646 | A * | 10/1961 | Nanni | | 482/45 |
| 3,887,185 | A * | 6/1975 | Landreville | | 273/109 |
| 4,155,551 | A * | 5/1979 | Smith | | 463/47.5 |
| D263,327 | S * | 3/1982 | Cooper | | D21/679 |
| 4,440,391 | A * | 4/1984 | Saenz et al. | | 482/148 |
| 4,518,162 | A * | 5/1985 | Oates | | 482/93 |
| 4,643,417 | A * | 2/1987 | Nieman | | 482/46 |

| | | | | | |
|-----------|------|---------|-----------------|-------|----------|
| 5,149,092 | A * | 9/1992 | Parsons | | 463/47.7 |
| 5,316,531 | A * | 5/1994 | Spence | | 482/93 |
| 5,628,713 | A * | 5/1997 | Wilkinson | | 482/74 |
| D385,604 | S * | 10/1997 | Moore | | D21/679 |
| 5,820,531 | A * | 10/1998 | Choi | | 482/93 |
| 6,599,222 | B2 * | 7/2003 | Wince | | 482/106 |
| D549,085 | S * | 8/2007 | Mevissen et al. | | D8/376 |
| D561,274 | S * | 2/2008 | Turner | | D21/679 |
| D583,425 | S * | 12/2008 | Kushner | | D21/686 |

* cited by examiner

Primary Examiner — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Fasth Law Offices; Rolf Fasth

(57) **CLAIM**

The ornamental design for a training tool, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the training tool shown in FIG. 1; FIG. 2 is an elevational rear view of the training tool shown in FIG. 1.

FIG. 3 is an elevational front view of the training tool shown in FIG. 1;


FIG. 4 is a bottom view of the training tool shown in FIG. 1;

FIG. 5 is an elevational right side view of the training tool;

FIG. 6 is an elevational left side view of the training tool; and,

FIG. 7 is a perspective view of the training tool of the present invention.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7